Pharmacopœia Meadiana:

PART II.

Faithfully gathered from Original

PRESCRIPTIONS,

CONTAINING

The moſt elegant METHODS

OF

CURE in DISEASES.

To which are annexed,

Uſeful Obſervations upon each Preſcription.

THE

WHOLE digeſted under proper HEADS,

And illuſtrated with

Remarkable CASES;

IN WHICH

The Riſe and Declenſion of Symptoms in the reſpective Diſeaſes are related: The Medicines preſcribed, and Methods uſed for their Cure, are regularly ſet down; and their Succeſs, as well proſperous as adverſe, is punctually noted.

Together with

An Account of morbid Appearances upon DISSECTIONS of ſeveral of the SUBJECTS.

Interſperſed with

PRACTICAL REMARKS on particular Incidents in Diſeaſes, and the Operation of Medicines.

Publiſhed from Original MANUSCRIPTS.

Simplex Munditiis.

LONDON: Printed for J. HINTON, at the King's-Arms in Newgate-Street, 1757.

THE PREFACE.

THE *good Reception the firſt Part of this Book hath met with from the Publick, the Intention of which was to give a general View of the Practice of the moſt ſucceſsful Phyſician, next to his Predeceſſor,* Dr. Radcliffe, *that perhaps ever appeared in* Great Britain, *was an Inducement to the Publication of this ſecond Part, which, as it is illuſtrated with* Caſes, Diſſections, *and* Practical Remarks

of the ſagacious and learned Practitioner firſt mentioned, carries on the above Deſign in a more extenſive Manner than the former, and cannot fail to convey an Idea of the Experience and medical Knowledge upon which he founded his Judgment concerning the Cauſes and Cure of Diſeaſes.

CON-

CONTENTS.

FEVERS.

Continual Fevers — — Page 1

Case I. —— —— 5
—— II. —— —— 6
—— III. —— —— ibid.
—— IV. —— —— 9
—— V. —— —— 10
—— VI. —— —— 11
—— VII. —— —— ibid.

Fevers attended with Eruptions.

The Small-Pox —— —— 14
The Miliary and Petechial Fevers and Erysipelas —— —— ibid.
Case I. —— —— ibid.
—— II. —— —— 16
—— III. —— —— 17

Particular Fevers.

A Pleurisy —— —— 19
Case I. —— —— 21
—— II. —— —— 22
—— III. —— —— 23
—— IV. —— —— 24
—— V. —— —— 25

Intermitting and Epidemick Fevers —

CASE I. —— —— 27
—— II. —— —— 29
Slow or Hectick Fevers —— —— 32
CASE I. —— —— 34
—— II. —— —— 35

DISEASES of the HEAD.

The Apoplexy — — — 36
CASE I. —— —— ibid.
The Epilepsy, Vertigo, and Tetanus —
CASE I. —— —— 39
—— II. —— —— ibid.
An Hæmorrhage from the Nose — 40
The Quinsy — — — 42

The DISEASES of the BREAST.

The Asthma — — — 44
CASE I. —— —— 45
—— II. —— —— 46
A Cough — — — ibid.

The DISEASES of the STOMACH and INTESTINES —— 49

CASE I. —— —— 54
—— II. —— —— ibid.
—— III. —— —— 55
—— IV. —— —— ibid.
—— V. —— —— 56
—— VI. —— —— 57
—— VII. —— —— 58
—— VIII. —— —— 59
—— IX. —— —— ibid.
—— X. —— —— ibid.

The

The Hæmorrhoids — — 60
CASE I. — — 61
— II. — — 62
A Diarrhœa — — — ibid.
CASE I. — — 63
The Bloody Flux — — — 65
The Iliack Passion — — — 68
CASE — — — ibid.
Worms — — — — ibid.
The Dropsy — — — 70
CASE I. — — 74
— II. — — 75

DISEASES of the LIVER.

The Jaundice — — — 75
CASE I. — — 77

The DISEASES of the KIDNIES and BLADDER — — ibid.

CASE I. — — 79
— II. — — 80
— III. — — ibid.

The DISEASES of the EYES — 81

CASE I. — — ibid.

PAINS in the JOINTS — 82

The DISEASES of the SKIN.

The Leprosy and Itch — — 83
Scrophulous Diseases — — ibid.
CASE I. — — ibid.
— II. — — — ibid.
The Scurvy — — — 86

The

The DISEASES of WOMEN.

The Suppreſſion of the Menſtrual Diſcharges 91
CASE — — — ibid.
The Exceſs of the Menſtrual Diſcharges 92
The Fluor Albus — — — 93
CASE — — — 95
The Hyſterical Diſeaſe — — 98
CASE I. — — — 102
——— II. — — — ibid.
——— III. — — — 103
Gangrene in the Uterus — — 105

CONTUSIONS — — ibid.

ERRATA.

Page 67, Line 21, dele The *Fluor Albus*.
Page 75, Line 25, read The *Diſeaſes* of the *Liver*.
Page 83, Line 1, read The *Diſeaſes* of the *Skin*.
Page 91, Line 14, read The *Diſeaſes* of *Women*.

Shortly will be Publiſhed,

PART III, and LAST;

WITH AN

APPENDIX,

CONTAINING

Prælectiones Meadianæ,

OR,

MEDICAL LECTURES on ſeveral Subjects.

From Original MANUSCRIPTS.

Pharmacopœia Meadiana.

PART II.

FEVERS.

CONTINUAL FEVERS.

Boli Alexipharmaci.

1.

℞ Lap. Contray. ʒſs. Rad. Serp. Virg. pulv. ϑſs. Croc. pulv. gr. v. Theriac. Androm. ʒſs. Syr. Cydonior. q. ſ. m. f. Bolus ſexta quaque Hora ſumend.

2.

℞ Rad. Contray. ʒſs. Croc. opt. Spec. Diambr. āā gr. ij. Sal. C. C. vol. gr. ij. Theriac. Androm. ʒſs. Syr. Balſamic. q. ſ. m. f. Bolus.

The Alexipharmick Boluſes.

1.

Take Contrayerva Stone, Half a Drachm: Snake Root powdered, Half a Scruple: Saffron powdered, five Grains: *Venice* Treacle, Half a Drachm: Syrup of Quinces, a ſufficient Quantity. Mix and make a Bolus to be taken every ſix Hours.

2.

Take Contrayerva Root, Half a Drachm: Beſt Saffron and Species Diambra, of each two Grains: Salt of Hartſhorn, two Grains: *Venice* Treacle, Half a Drachm: Balſamick Syrup, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

Theſe are powerful Alexipharmicks, and promote Sweat to a proper Degree in certain Circumſtances of this Diſeaſe.

Bolus Cephalicus.

℞ Pulv. ad Guttet. ℈j. Caſtor. Troch. de Myrrh. āā gr. v. Theriac. Londin. ℈j. Syr. Croc. q. ſ. f. Bolus ſumend. ſexta quaque Hora ſuperbibendo Cochl. iij. Julep. Camph.

The Cephalick Bolus.

Take Powder againſt an Epilepſy, a Scruple: Caſtor and Troches of Myrrh, of each five Grains: *London* Treacle, a Scruple: Syrup of Saffron, a ſufficient Quantity, to make them into a Bolus. To be taken every ſix Hours, drinking after it three Spoonfuls of the *Camphor Julep.*

Obſer-

Obſervations.

Theſe are uſed with Succeſs in Fevers attended with nervous Symptoms.

Hauſtus Cathartici.

1.

℞ Infuſ. Senæ, ℥ijſs. Syr. de Spin. Cerv. ℥j. Aq. Mirab. ℥ſs. m. f. Hauſtus Mane ſumendus.

2.

℞ Rad. Rhabarb. ʒjſs. Fol. Senæ, ʒj. Salis Tartar. ℈j. coque in Aq. font. q. ſ. ad ℥ij. & infunde calidè Macis, ℈j. colaturæ adde Aq. Cinnam. ten. ℥j. m. f. Hauſtus.

The Purging Draughts.

1.

Take Infuſion of Sena, two Ounces and an Half: Syrup of Buckthorn, an Ounce: Aqua Mirabilis, Half an Ounce. Mix and make a Draught.

2.

Take Rhubarb Root, a Drachm and an Half: Sena Leaves, a Drachm: Salt of Tartar, a Scruple; boil them in a ſufficient Quantity of Water to two Ounces, and infuſe in it, whilſt warm, Mace, a Scruple. To the ſtrained Liquor add ſmall Cinnamon Water, an Ounce. Mix and make a Draught.

Obſervations.

Theſe are mild Catharticks, and proper after the Small-pox, Fevers, *&c.*

Julepum Cordiale.

℞ Vin. Canarin. Aq. Ceraſ. nigr. āā lbſs. Tinct. Croc. Aq. Pæon. c. āā ʒij. m. f. Julep. capiat Cochl. iv. in Languoribus.

The Cordial Julep.

Take *Canary* and Black Cherry Water, of each Half a Pint: Tincture of Saffron and compound Piony Water, of each two Ounces. Mix and make a Julep. Four Spoonfuls to be taken when faint.

Obſervations.

This is a refreſhing Julep in Fevers attended with great Dejection of Spirits; in which Wine may with Safety be admitted of.

Pulvis Bezoardicus.

℞ Pulv. è Chel. Cancr. c. ʒſs. Croc. Angl. opt. Bezoar. Orient. āā gr. v. m. f. Pulv. bis de Die ſumend.

The Bezoardick Powder.

Take compound Powder of Crabs Claws, Half a Drachm: Beſt *Engliſh* Saffron and Oriental Bezoar, of each five Grains. Mix and make a Powder to be taken twice a Day.

Obſervations.

This is a mild Alexipharmick, and uſeful in Fevers.

Pulvis Cephalicus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Spec. Diambr. Troch. de Myrrh. āā gr. v. m. f. Pulv. octavis Horis repetendus.

The Cephalick Powder.

Take compound Powder of Crabs Claws, a Scruple: Species Diambra and Troches of Myrrh, of each five Grains. Mix and make a Powder to be repeated every eight Hours.

Obſervations.

This is proper in low nervous Fevers, and hyſterical Diſorders.

CASE I.

I Was ſent for to a Woman, who had lain ill of a Fever, four or five Days, and was two or three Months gone with Child. She had had a Flooding at the Beginning of her Illneſs, but that was gone off. Her Water was very high coloured, and in ſmall Quantity. She had had a Fever Fit the Night before I ſaw her, and had ſweat exceedingly after it, ſo that ſhe found herſelf extremely faint, and inclining to vomit. Her Tongue looked well, and her Pulſe was pretty quiet. I ordered

℞ *Sal. Abſinth.* ʒſs. *Succ. Limon.* ʒj. *Aq. Cinnam. Hord.* ʒvj. *m. f. Hauſt. ſumend. quarta quaque Hora.*

She took four of theſe Draughts, and found herſelf much better; but would not be perſuaded to take any more of them.

℞ *Cort. Peruv. opt. pulv.* ʒſs. *Croc. opt. pulv.* gr. iv. *m. f. Pulv. ſumend. in Cochl.* i. *Vini rubri auſteri, ſuperbibend. Cochl.* iii. *ejuſdem.*

℞ *Sp.*

℞ *Sp. Sal. Vol. Oleoſ. Lavend. c.* āā ʒſs. *f. Mixtura cujus capiat gutt.* xx. *ſemel vel bis de Die in Languoribus.*

CASE II.

I Was ſent for to Mr. *B*——*n*, in a Fever. His Pulſe was pretty quick, with a Pain in his Head. I ordered him

℞ *Pulv. è Chel. C. C.* ʒſs. *Croc. gr.* iv. *m. f. Pulv. ſumend. bis de Die.*

He began to ſweat, and be pretty eaſy; in a few Days his Fever left him. I ordered him to be purged with *Mann.* ʒij. and took my Leave. In a few Days after, whether from catching Cold, or what Accident was not certain, he fell ill again. I ordered a Bliſter, and the Medicines as before. His Sweats grew very violent, without any Relief. His Water was high coloured, and began to be oily at Top. His Fever ſeemed to be more violent at one Time than another, but did not come regularly, or leave any Intermiſſion. I ordered Draughts of *Sal. Abſinth.* and afterwards *Cort. Peruv. cum Infuſ. amar.* By taking theſe he recovered.

CASE III.

Feb. 11. I Was ſent for to a Woman, who had lain ill ſome Days of a Fever. Her Pulſe was low; ſhe complained of great Pains in her Head and Back, and was ſeized ſometimes two or three Times a Day with Fits, in the Beginning of which ſhe fixed her Eyes and

and Jaws, and lay rigid; but ſtruggled as they went off. The Fits ſeized her always on a ſudden. The Apothecary had lain on a Bliſter, which run well, had relieved her Pain, and ſhe ſeemed inclinable to ſweat. I ordered an *Enema*.

℞ *Lap. Contray.* ℈j. *Croc. Caſtor.* āā *gr.* v. *Conf. Alcherm. q. ſ. m. f. Bolus capiat ſextis Horis ſuperbibendo Seri Canarien. q. ſ.*

℞ *Sp. Sal. Ammon. Tinct. Caſtor.* āā ℥ſs. *m. ſum. gutt.* xij. *bis vel ter de Die urgentibus Spaſmis.*

Her Fits ſtill continued, which ſhe told me ſhe found to begin on one Side of her Neck, and to draw her Head backwards. There was no Sign of Sweating, and ſhe complained that one Side of her Body began to be numbed. *Fluunt Menſtrua*, but ſtopped the next Day: And, whether from them or no, ſhe ſeemed ſomewhat better till Night, when her Fits returned with more Violence than before. When I ſaw her the next Day, ſhe complained of cholicky Pains, and great Oppreſſion at her Breaſt. Her Head was ſomewhat eaſier, but her Pulſe low, and intermitting. Her Water was turbid, but had ſome Sediment at the Bottom. I ordered an *Enema*, *Linct. Empl. Epiſpaſtic. pone Aures*, which latter ſhe could not be perſuaded to lay on. The next Day when I ſaw her, ſhe had reſted tolerably well: Her Pulſe was rather ſtronger, ſhe had had no Fits all Night, and her Numbneſs was quite off. She ſtill complained of Pain in her Head. Her Water was high

high coloured, but clear, and without any Sediment. The Bliſters were laid on, and ſhe went on with her Medicines. Her Bliſters roſe well, but, when they were cut, ſhe fell into a Fit, though ſhe had not had one for two Days before. Her Head and Breaſt were eaſier. She was ſtill troubled with cholicky Pains, and was coſtive, which ſhe corrected by Clyſters. They brought me Word next Day that her Bliſters ran well, but that her Fit returned the Day after her Head was eaſier. That ſhe fainted away ſometimes, and complained of Stitches all over her, and reſted very little.

℞ *Tinct. Rhæi cum Vino,* ℥ijſs. *capiat hac Nocte Cochl.* ii. *reliquum ſuperbibat craſtino Mane.*

They did not work, ſo I ordered her a Clyſter. Her Head was quite eaſy, her Pulſe leſs quick, but ſhe ſtill complained of Stitches in her Breaſt, and Shortneſs of Breath, Tremblings, and other hyſterick Symptoms.

℞ *Gum. Ammon.* ℥j. *ſolve in Aq. Ceraſ. nigr.* ℥vj. *Syr. Balſam.* ℥ſs. *f. Mixtura ſumat Cochl.* iii. *ſexta quaque Hora.*

The Mixture took off her Difficulty of Breathing, and ſhe found herſelf ſtrong enough to ſit up two Hours; but I believe got cold in getting out of Bed; for, the next Day when I ſaw her, I found her Pulſe quick, and the Pain in her Bowels more violent. She had not had a Stool ſince her Purges, which was now two Days.

R *Pil.*

℞ *Pil. Ruffi*, ℈ij. *f. Pilulas cap. cras Mane.*

℞ *Aq. Ceraſ. nigr.* ℥jſs. *Cinnam. fort.* ℥ſs. *Conf. Fracaſt. S. M.* ℥jſs. *m. f. Hauſtus ſumend. Nocte Purgationi inſequenti.*

February 27. The Apothecary by Miſtake gave her but half the Quantity of the Pills, which did not work at all. I ordered an Enema and Opiate at Night. Her Fever was quite off, and her only remaining Uneaſineſs was a Giddineſs in her Head, which I looked upon to be nothing but Weakneſs.

℞ *Tinct. Sacr.* ℥viij. *Sp. Lav. c.* ℥iij. *f. Mixtura capiat Cochl.* ii. *ſingula Nocte H. S.*

℞ *Lact. Ammon.* ℥vj. *cap. Cochl.* j. *in Languoribus.*

CASE IV.

Feb. 26. I Went to ſee a Man, who had lain ill for two or three Days of a Fever, with a violent Delirium, ſtrong Pulſe, Water very high coloured. He had had a Looſeneſs during the two firſt Days of his Illneſs, which ſtopped of itſelf. He ſweated pretty much; notwithſtanding which, I ordered

Mittat. Sang. ad ℥xvj.

Empl. Epiſpaſtic. Nuchæ & Brachiis.

℞ *Sal. Abſinth. gr.* xv. *Succ. Limon.* ℥ſs. *Aq. Cinnam. fort.* ℥j. *m. f. Hauſt. capiat ſexta quaque Hora.*

February 28. Catchings in his Hands, died comatoſe. This was the ſixth Day of his Fever.

CASE V.

I Was deſired to viſit a poor Family, where the Man, his Wife, and Maid, lay ill at the ſame Time with Fevers. The Woman had nurſed ſome People in a Fever, and believed ſhe took it from them. The Man told me the firſt he felt of his Indiſpoſition was upon ſucking his Wife's Milk, who had had a Fever for ſome Days. His Pulſe was very high, with a violent Pain in his Head, and Coſtiveneſs: He ſeemed inclined to ſweat; therefore I did not order him to be blooded, but only an *Enema*, *E. Epiſpaſt. Capiti, & Pulv. è Chel. Cancr. comp.* In two or three Days he began to ſweat very much, and his Fever went off.

℞ *Mann. Calabr.* ℥jſs. *capiat in idoneo Vehiculo.*

His Purge worked well, and he was ſo well after it, that I could not keep him from going out; and, upon catching Cold, his Fever returned with a quick Pulſe, Shivering, Pain in the Head, *&c.* I ordered him a Draught of *Sal. Abſinth. cum Succ. Limon.* to take three Times a Day. His Fever Fit returned the next Day, and then left him. By the Uſe of the following Medicine he was perfectly recovered:

℞ *Cort. Peruv. pulv.* ℥j. *coque in ſ. q. Aquæ Fontan. ad* ℔j. *adde Infuſ. Amar.* ℥iv. *Vin. Chalyb.*

Chalyb. ℥j. *f. Mixtura cujus cap. bis de Die* ℥iij.

CASE VI.

THE Girl's Pulſe was not very irregular. Her chief Complaint was a Retching and Sickneſs at her Stomach, which ſhe firſt perceived upon the Stopping of a Looſeneſs.

℞ *Sal. Abſinth.* ʒſs. *Succ. Limon.* ℥j. *Aq. Cinnam. ten.* ʒv. *m. f. Hauſt. ſumend. ter de Die.*

℞ *Sp. Sal. Vol. Oleoſ.* ℥ſs. *ſum. gutt.* xx. *bis vel ter de Die in Languoribus.*

By the Uſe of this Method ſhe recovered.

CASE VII.

THE Caſe of the Woman was very deplorable. Her Tongue was covered with a hard black Scurf: She had a Looſeneſs, and continual Retchings; violent Pain in her Head, and Back; low Pulſe; Deafneſs; Eyes of a dead Caſt. I ordered her reſtringent Clyſters, which ſtopped her *Diarrhœa*; Draughts of *Sal. Abſinth. &c.* but could not perſuade her to take them, *E. Epiſpaſtici*, and *Sp. Sal. Vol. Ol.* three Times a Day. She continued ſome Days without any conſiderable Alteration, until at laſt ſhe grew comatoſe, and continued ſo ſome Time, notwithſtanding the Epiſpaſtics. She was ſeized with a violent Bleeding at the Noſe, and had purple Spots. She found her Head relieved by the Bleeding, and her Pulſe grew

ſenſibly ſtronger. I ordered her to have ten Ounces of Blood taken from her Arm, and let her continue to bleed at the Noſe, until I found her Pulſe began to ſink. The Blood that was taken from her was exactly of the Colour of Chyle.

℞ *Alum. uſt.* ʒj. *Sang. Dracon.* ʒſs. *liquefiant ſuper Ignem & f. Pilul. quarum capiat* v. *tertia quaque Hora ſuperbibendo Tinct. Roſar.* ʒiij.

Upon taking theſe Medicines once or twice, her Bleeding ſtopped, but her Coma returned.

Applic. Capiti Emp. Epiſpaſtic.

℞ *Tinct. Sacr.* ʒijſs. *cap.* ʒj. *Hora Decubitus reliquum ſuperbib. Mane ſequenti.*

Upon taking this Medicine twice, her Sleeping went off; her Tongue looked of a better Colour, and her Eyes ſeemed to have more Life in them; but ſhe now fell into a continual Wakefulneſs *, without being able to take the leaſt Reſt, and was in vaſt Pain from her Head, though her Pulſe was now grown ſtronger, and pretty regular; her Tongue moiſt, and her Deafneſs leſs troubleſome. I ordered more Bliſters.

℞ *Pulv. è Chel. Cancr. ſimp.* ʒſs, *Rad. Serp. Caſtor.* āā *gr.* iv. *m.*

* I ordered her to repeat the *Tinct. Hier.* with *L. L. Syd. gutt.* xx. to be taken in the Night Doſe. This threw her into a little Doſing, but her Sleeps were ſo uneaſy, ſhe choſe rather to be without them.

She

She ſeemed at firſt upon taking this Medicine to be inclined to ſweat; but it went off without any ſenſible Relief. Her Pain in her Head was ſtill violent, but leſs while the Bliſters continued running; her Appetite pretty good, her Strength better, and ſhe began to have a little Reſt. I ordered Leeches to her Temples, and Aſarum Snuff. She thought the Snuff relieved her; but, upon the Bliſters Drying, her Pulſe grew quick, her Tongue dry, *&c.* I ordered *Fontinellæ duo ſupra Scapulas*, and to repeat the *Tinct. Sacra*, which worked very well with her, and ſhe found her Head eaſier. She ſenſibly recovered her Strength, ſo as to be able to walk a-croſs the Room, and began to reſt a little of a Night; though her Pulſe was grown quick again, her Tongue white, and her Water pale. She ſweated a little of a Night, and had complained of a violent Pain, and ſome Swelling on one Side of her Face, without Inflammation, or Hopes of an Abceſs. She had omitted the Fontinels.

℞ *Pulv. Lap. Contray. ad Guttetam* āā ℈j. *m. f. pulv. ſumend. bis de Die.*

Her Noſe, eſpecially the Noſtril, where her Face had been ſwelled, ran plentifully, and bled a few Drops, by Fits. Her Pain decreaſed ſenſibly every Day *.

FEVERS

* I learned afterwards that her Illneſs was occaſioned by ſtopping an Abceſs, which ſhe had for ſome Time in her Ear. She found herſelf ſenſibly recovered upon the Uſe of the Snuff, which made her Noſe run much. Her Abceſs

FEVERS *attended with Eruptions.*

The SMALL-POX.

CASE I.

1721. A Woman in St. *Thomas*'s Hoſpital, that had been troubled for many Years with Obſtructions, was ſeized with the Small-pox, followed by a violent Hæmorrhage; the Pocks pretty full on her Face, and confluent; few on the reſt of her Body, flat, the Matter watery. Her Face and Hands never ſwelled through the whole Courſe of the Diſtemper, though ſhe lived till the ſixteenth Day.—Dry Tongue, quick low Pulſe.

The Miliary and Petechial FEVER, *and* ERYSIPELAS.

CASE I.

I Was carried to a Boy of fifteen or ſixteen Years old, who had been ſeized with a violent Pain in his Back, Vomitings, *&c.* which ſeemed to foretel the Small-pox, which in a Day or two more ſeemed to appear very thick under the Skin, with a great Redneſs: But upon his falling into a Looſeneſs, whether from Cold, or for Want of a Vomit at the Beginning of his

Abceſs afterwards broke out as before, and ſhe enjoyed her Health again as well as ever.

Diuturnis in Morbis parvæ apparentes Sanguinis ex Naribus fluxiones perniciem denuntiant. HIPP.

Ill-

Illneſs, the Redneſs of the Skin abated; ſo that, when I ſaw him the fifth or ſixth Day, it appeared to be no more than a common miliary Eruption. He had however been treated with warm Cordials and Opiates * at Night, which, as he complained, he was weakened by. His Looſeneſs I thought proper to continue, though in a leſs Degree. His Pulſe was ſtrong and pretty regular, and he had no other ill Symptom upon the Falling in of the Eruption, but a little Diſorder in his Head at Times; which was Reaſon enough to pronounce it at firſt not to be the Small-pox.

℞ *Pulv. è Chel. Cancr. c.* ℈j. *Caſtor. Croc. opt.* āā *gr.* iv. *Conf. Alcherm. q. ſ. m. f. Bolus ſumend. ſexta quaque Hora ſuperbibendo Julep. ſequentis Cochl.* iv.

℞ *Aq. Ceraſ. nigr.* ℥vj. *Cinnam. ten. Pæon. comp.* āā ℥iij. *Sach. alb. q. ſ. m. f. Julep.*

℞ *Aq. Ceraſ. nigr.* ℥jſs. *Cinnam. fort.* ℥j. *Conf. Fracaſt. S. M. gr.* xxv. *Sang. Dracon.* ℈j. *Syr. Cort. Aur. q. ſ. m. f. Hauſt. ſumend. Hora Somni.*

℞ *Aq. Lact. Alex. Ceraſ. nigr.* āā ℥iv. *Pæon. comp. Cinnam. fort.* āā ℥ij. *Conf. Fracaſt. S. M.* ʒij. *f. Mixtura ſumat Cochl.* ij. *poſt ſingulas Sedes.*

Bibat Decoct. alb. pro Potu communi.

Upon taking theſe Medicines, his Looſeneſs

* *Febres adhibitis Opiatis diuturniores fiunt.*

ſtopped,

ſtopped, he fell into a gentle Sweat, and reſted well. I ordered him to go on with his Bolus and Julep, but to omit the Uſe of the Mixture unleſs his Looſeneſs ſhould return with Violence, and to let the Draught ſtand by him at Night, to be taken if he found himſelf uneaſy, leaving out the *Sang. Dracon.* and uſing only one Scruple of the Confection. He reſted well with the Draught, and in a few Days got rid of his Fever, the Eruption continuing as before.

CASE II.

I Was ſent for to a poor Man of about ſixty, who had been ill for ſome Days of a Fever, with a Sore-Throat. His Wife had given him ſome *Theriaca*, and cordial Waters, in order to throw out an Eruption, which ſhe had obſerved upon his Skin, by which Means ſhe had inflamed his Blood. I found his Pulſe hard, his Tongue dry, and ſcurfy, and an *Eryſipelas* all over his Body, full of white, pointed, watery Puſtles, and the Interſtices very much inflamed. He had had a Looſeneſs, which was abated, ſo that, for two Days before I ſaw him, he had but one or two Stools a Day, though he was ſtill griped. I ordered him *Empl. Epiſpaſtic. Nuchæ*, to relieve his Throat.

V. S. ad ℥xiv.

℞ *Rad. Rhabarb. pulv. Elect. Lenitiv.* āā ʒſs.
Syr. de Rhamn. Cath. q. ſ. m. f. Bolus.

This gave him four or five Stools, and the Inflam-

Inflammation ſeemed ſomewhat abated. I ordered him to ſend to the Apothecary for another Purge ſomewhat ſtronger, and they ſent him one that gave him above twenty Stools, which weakened him very much, but carried off the Diſtemper.

CASE III.

I Was ſent for to a Perſon who had lain ill for ſome Days with an Eryſipelas in his Face, which was pretty much ſwelled, and inflamed. His Pulſe was as hard as in a Pleuriſy, his Tongue very foul, Water turbid *. He was very delirious, and had not had a Stool for four or five Days: His Noſe bled two or three Times, but found no Relief. The Apothecary, who attended him, had taken away about ten or twelve Ounces of Blood in the Beginning, laid a Bliſter upon his Back, and was treating him with Powders, I ſuppoſe pretty warm ones, for he ſweated much when I firſt ſaw him. I ordered *V. S. ad* ℥xvj. *Empl. Epiſpaſtic. pone Aures, Pulv. ex Aſaro,* becauſe his Noſe was ſtuffed; and an *Enema,* which worked but little with him; but they thought at Night he had been dying. The next Day when I ſaw him, I found him pretty much as before, only his Face rather more inflamed. I ordered *Hirudines Temporibus utriſque ad extractionem Sanguinis quantum poteſt, & Mannæ Calabr. opt.* ℥ijſs. *ſtatim ſumend.* I viſited him the

* *Urina turbida Delirii Signum.*

next Day; his Purge had not worked at all *, and he continued as before.

℞ *Decoct. com. pro Clyſt.* ℥x. *Sal. Mirab. Glaub. Syr. de Spin. Cerv. Ol. Chamæm.* āā ℥j. *Extr. Rud.* ℥jſs. *m. f. Enema ſtatim injiciendum.*

Exhibeatur hac Nocte Hauſtu ſequente †, *niſi Alveus ab Enemate ſæpius moveatur.*

℞ *Infuſ. Senæ* ℥iij. *Sal. Mirab. Glaub.* ℥j. ‡ *Syr. de Spin. Cerv.* ʒij. *m. f. Hauſtus.*

His Clyſter gave him two Stools, therefore the Apothecary was fearful of giving the Purge that Night. His Head was much relieved by the Stools: He reſted pretty well that Night. The next Day when I viſited him, I found his Pulſe ſofter, and the Swelling of his Face ſomewhat abated. I ordered the Purge as before to be taken immediately, which gave him about nine Stools, ſo that he came now perfectly to his Senſes. His Water became clear, and his Fever was quite off, but he complained his Head was a little giddy. I ordered him

℞ *Aq. Ceraſ. nigr.* ℥ij. *Pæon. comp.* ℥j. *Conf. Fracaſt. S. M.* ʒſs. *Syr. è Cort. Aurant.* ʒij.

Repetat. Hauſtus Cathart. alternis Diebus ad tertiam vel quartam Vicem.

* *Alveus in Eryſipelate difficilis*

† *Catharſis plus proficit in Eryſipelate quam V. S.*

‡ *In Eryſipelate, ubi Alveus diu reſtitit, & Purgatio incaſſum tentata fuit uſitatis Remediis, Sal Glauberi raro Spem fallit.*

He

He was of a ſtrong Conſtitution, and ſeemed very little weakened by his Sickneſs.

Particular Fevers.

A Pleurisy.

Apozema Pectorale.

℞ Decoct. Pect. ℔ij. Succ. Fimi Equin. ℥ij. Sacch. alb. q. ſ. m. f. Apozema bibat Hauſtum ſæpè.

The Pectoral Apozem.

Take Pectoral Decoction, a Quart: Juice of Horſe Dung, two Ounces: Loaf Sugar, a ſufficient Quantity. Make an Apozem. A Draught to be taken often.

Obſervations.

This is an efficacious Remedy in obſtinate Pleuriſies. It diſſolves the Sizineſs of the Blood, after moſt other Means have proved ineffectual for that End.

Bolus Balſamicus.

℞ Sperm. Cœt. Conſ. Cynoſb. āā ℈j. Margarit. ppt. Sal. C. C. vol. āā gr. vj. Syr. Capill. Ven. q. ſ. m. f. Bolus ſumendus bis terve de Die.

The Balſamick Bolus.

Take Sperma Ceti and Conſerve of Hips, of each a Scruple: Pearl prepared and Volatile Salt of Hartſhorn, of each ſix Grains:

Syrup of Maidenhair, a ſufficient Quantity. Mix and make a Bolus to be taken two or three Times a Day.

Obſervations.

This is balſamick, and promotes Perſpiration.

Hauſtus Oleoſus.

℞ Aq. Hordeat. ℥iij. Ol. Amygd. ℥j. Syr. Capill. Ven. ℥ſs. Sacchar. ʒj. Sp. Sal. vol. ol. gutt. xxv. m. f. Hauſtus ſexta quaque Hora ſumendus.

The Oily Draught.

Take Barley Water, three Ounces: Oil of Almonds, an Ounce: Syrup of Maidenhair, Half an Ounce: Sugar, a Drachm: The oily Spirit of Volatile Salt, twenty-five Drops. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is a proper relaxing Draught in this Diſeaſe.

Hauſtus Spermaticus.

℞ Sperm. Cœt. ʒj. Ceraſ. nigr. ℥iij. Syr. Balſamic. ℥ſs. Syr. C. C. gutt. xij. m. f. Hauſt. ſextis Horis ſumendus.

The Spermatick Draught.

Take Sperma Ceti, a Drachm: Black Cherry Water, three Ounces: Balſamick Syrup, Half an Ounce: Spirit of Hartſhorn, twelve

Drops. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This anſwers much the ſame Intention as the *Hauſtus Oleoſus.*

Mixtura Balſamica.

℞ Decoct. Hord. ℔j. Syr. Capill. Ven. Balſamic. ā ā ʒſs. Sperm. Cœt. Vitello Ovi ſolut. ʒij. Sp. Sal. vol. ol. ʒj. f. Mixtura bibat Hauſtum ad Libitum.

The Balſamick Mixture.

Take Barley Water, a Pint: Syrup of Maiden-hair, Balſamick, of each Half an Ounce: Sperma Ceti, diſſolved with Yolk of Egg, two Drachms: The oily Spirit of Volatile Salt, a Drachm. Make a Mixture. A Draught to be taken at Pleaſure.

Obſervations.

This is a diluting balſamick Emulſion, and of Service, when drank plentifully, in Pleuriſies.

CASE I.

SIR *H. A——s*, aged 29 Years, of a ſmall Stature, had from hard Drinking a Fever Fit, with a violent Pain in the left Side, and Shortneſs of Breath. Died in 26 Hours. Had had the Pain often before. Made no Urine.

Two Quarts of Water were found in the Abdomen: About Half a Pint in the Thorax: The Lungs adhering to the Thorax about an Hand's

Hand's Breadth, but ſound. The Liver without any ſteatomatous Swelling, or Apoſtem, white like a Calf's Liver. Little Gall in the Gall-Bladder.

CASE II.

I Viſited Mrs. *O——n*, who had been ill about five or ſix Days of a Pleuriſy. She had ſpit Blood and diſcoloured Matter, but, upon being twice blooded, and uſing ſome other Applications, her Spittle became of a better Colour. When I viſited her, her Tongue was furred, her Pulſe very hard, her Water turbid, and her Head pretty much diſordered, with a great Shortneſs of Breath. I ordered *Empl. Epiſpaſt. tria.*

Mittatur Sanguis ad ℥xx.

℞ *Pulv. è Chel. Cancr. C.* ʒſs. *Sal. Prunel.* ℈j. *Sperm. Cæt. Conſ. Lujul.* āā ʒſs. *Syr. de Alth. q. ſ. m. f. Bolus ſumend. ſexta quaque Hora ſuperbibendo* ℔ſs. *Decoct. Pectoral.*

I was afraid to give the Oils, becauſe ſhe had found herſelf griped, and the next Day had three or four Stools, but thought herſelf not the weaker for them. She had ſweated very much in the Night, her Pain in her Side was quite removed, and her Pulſe was quieter, ſo that there was now no perſuading her to have the Bliſters: But, the third Day I viſited, I found her more diſordered, her Pulſe quick, and her Water ſtill turbid. I ordered her to continue in the Courſe I had preſcribed, and

and perſuaded her to conſent to the Bliſters. She began to be ſo fond of them that ſhe told me the next Day ſhe had found herſelf ſenſibly relieved, before they had been on two Hours: Though I rather believe the Criſis of the Diſtemper was coming on, which I have generally obſerved to be preceded by an Exacerbation of the Symptoms. When I viſited her the next Day, I found her in a Sweat, which ſhe ſaid ſhe had been in all Night: Her Pulſe was now quiet, and her Head very eaſy. Her Bliſters had all run very well; her Tongue looked better, and her Water was become clear with a little red Sand at the Bottom. She had four Stools, which ſhe thought had weakened her. I ordered a Clyſter with *Juſcul.* ℥iv. *Theriac. Andr.* ʒvj. *Terr. Japon.* ʒſs.

℞ *Pulv. è Chel. Cancr. ſimp.* ʒſs. *Croc. opt. gr.* iij. *m. f. Bolus ſumend. ſexta quaque Hora ſuperbibendo Decoct. alb.* ℔ſs.

The Clyſter ſtopped her Looſeneſs, and the Pain of her Side returned ſo violently in the Night, that ſhe was forced to bleed immediately, upon which the Pain went off, and ſhe afterwards recovered.

CASE III.

CAPTAIN *B*—— had been ill of a Fever four or five Days. When he ſent for me, he had a Cough, and Pain in his Side, which went off upon Bleeding, and there was now a Sediment in his Water, though his Pulſe ſtill continued feveriſh, and he complained of great In-

Inquietude at Night. The Apothecary had ſweated him at firſt, and the Day I ſaw him had ordered him a Purge, the greateſt Part of which he had thrown up.

℞ *Pulv. è Chel. C. C.* ℈j. *Ocul. Cancr. ppt. Marg. ppt.* āā *gr.* v. *Croc. gr.* iv. *m. f. Pulv. ſumend. ſexta quaque Hora ſuperbib. Hauſtulum Seri Canarin.*

℞ *Decoct. com. pro Clyſt.* ℥x. *Ol. Lini, Syr. Violar.* āā ℥j. *Sal. Mir. Glaub.* ℥ſs. *m. f. Enema hac Nocte injiciend. ſi Alveus non ante reſponderit.*

His Enema worked well, and his Powder threw him into a breathing Sweat. I ordered him to take a Purge with *Infuſ. Senæ & Syr. è Spin. Cerv.* (but he could not keep it in his Stomach) and repeated his Enema at Night. The next Day he took an Apozem of the Waters, which purged him three or four Times; after which he was perfectly eaſy. I ordered him to repeat the Apozem, taking over Night this Bolus:

℞ *Pulv. Caſſiæ* ʒij. *Pulv. Comitiſſ. W. gr.* xvj. *m. f. Bolus.*

CASE IV.

I Viſited a Man who had lain ill a Week of a Pleuriſy, with a fixed Pain in one Breaſt. He had been blooded but once, had taken very warm Medicines, which had thrown him into Sweats, and ſtopped his Looſeneſs. I ordered him

him to be cupped and bliſtered upon the Part, and to take *Mixtura Oleoſa.*

CASE V.

MR. *C——k* had lain ill three or four Days of a violent Pleuriſy, with very acute Pain, and great Shortneſs of Breath; his Pulſe not very hard; Water high coloured. He had loſt in all near forty Ounces of Blood before I ſaw him.

I ordered *V. S. ad* ℥xxv.

℞ *Spec. Diatrag. frig. Sperm. Cæt.* āā ℈j. *Sal. C. C. gr.* vj. *Conſ. Cynoſb. q. ſ. m. f. Bolus ſumend. quarta quaque Hora ſuperbibendo Decoct. Pect.* ℔ſs.

℞ *Ol. Amygd. dulc. Syr. Cap. Ven. Oxymel. Scillit.* āā ℥j. *Sacchar.* ʒj. *m. f. Linctus cujus capiat Cochl.* i. *frequenter.*

Empl. Epiſpaſt. Nuchæ & Brachiis.

I left Word, if the Pain ſhould continue violent, to bleed him again. The next Day they told me he had been tolerably eaſy after Bleeding, and had ſlumbered a little in the Night; but his Pain was returned again with great Violence, and fixed more to one Part. I ordered *V. S. ad* ℥xx. and left Word, if he was not relieved by the Bleeding, to cup, and apply a Bliſter upon the Part. I found him much eaſier the next Day, but, his Fever ſtill continuing high: He was cupped and bliſtered as I ordered before, and found himſelf much better.

His Pulſe the next Day was pretty quiet, his Pain much eaſier, he ſweated very plentifully, and his Water began to break: So I left him to the Care of the Apothecary with Directions to continue his Medicines till the Fever ſhould ceaſe, and then give him:

℞ *Infuſ. Senæ* ℥ijſs. *Mann. opt.* ʒvj. *Aq. Mirab.* ʒiij. *m. f. Hauſt.*

He was ſeized with this Illneſs after hard Drinking. He could not lie on the Side * where the Pain was. He loſt in all near an hundred Ounces of Blood, and yet upon every Bleeding his Pulſe grew ſenſibly ſtronger.

Intermitting and Epidemick Fevers.

Hauſtus Antifebrificus.

℞ Cort. Peruv. opt. pulv. ℈ij. Vin. Florentin. rubr. Cochl. j. m. f. Doſis ſumendus bis de Die ſuperbibendo Cochl. aliquot Vini ejuſdem.

The Antifebrifick Draught.

Take Powder of the beſt *Peruvian* Bark, two Scruples: *Florence* Wine, a Spoonful. Mix them for a Doſe. To be taken twice a Day, drinking a Glaſs of the ſame Sort of Wine afterwards.

* Bellini *Cap. de Pleuritide. Sunt Pleuritides, quibus laborantes in Latus affectum decumbere poſſunt, ſunt quibus ne in oppoſitum, nec in affectum.*

Obſer-

Obſervationes.

Cortex Peruvianus Pulvere aſſumptus Ventriculum minùs gravat, præſertim ſi Vino iſti immiſtus fuerit, quod Aſperitate ſua Saporem ejus ingratum mitigat. Sal Abſinthii eoſdem ſæpè Effectus obtinet, in curandis Febribus intermittentibus ac Cortex Peruvianus, niſi quod Alveum aliquando movere ſoleat, inde Febri Vires prebente. Quicquid enim fingerent Veteres de curandis iſtiuſmodi Morbis, de Veneſectione & Purgatione: irritari exinde ſæpiùs quam curari Febres, Experientia comprobatum eſt: Sed Vomitiones licet non parum profecerint.

Memini me advocatum fuiſſe ad Mulierem quandam quæ ſex Menſibus vel ulteriùs intermittenti Febre laboraverit, cujuſque Paroxyſmi alternis Diebus redire conſueverint, & cum ex Uſu Salis Abſinthii Alvus aliquoties dejecerit, Paroxyſmos quotidianos paſſa eſt, donec adhibito *Cortice Peruviano Confect. Fracaſtor. &c.* Alveus aliquantulum reſtricta, & Febris ſimul curata fuit.

Mar. 17, 1721. Plurimas hoc Anno Febres in intermittentes deſiiſſe notavi.

CASE I.

I Was called to a labouring Man, of about fifty, of a ſtrong Habit of Body. He had lain ill three or four Days with a Retching, and violent Cholick Pains; was coſtive. He had beſides theſe every other Day an Ague Fit; his Water high-coloured, no Reſt at

Night. One of his Legs very much ſwelled, and pitted when touched. He complained of a Pain in his Groin ſhooting to the End of the ſwelled Leg, and that the Calf of his Leg was ſomewhat drawn up by Cramps. I ordered him a Vomit, after which he was directed to take the following Bolus:

℞ *Lap. Contrayerv.* ℈j. *Pulv. Ari comp. Spec. Diambr.* āā *gr.* v. *Conf. Alcherm. q. ſ. m. f. Bolus.*

And at Night the following Draught:

℞ *Tinct. Sacr.* ʒijſs. *Syr. de Spin. Cerv.* ʒj. *Sp. Lavend. c.* ʒſs. *m. f. Hauſt.*

The Vomit and Bolus removed the Pain in his Stomach. His Purge worked but once with him. I therefore the next Morning ordered him to take *Pil. Ruffi* ℈ij. which gave him ſix or ſeven Stools. His Fever Fit returned next Morning.

℞ *Sal. Abſinth.* ʒſs. *Succ. Limon.* ʒvj. *Aq. Cinnam. fort. ten.* āā ʒiij. *Sp. Lav. c.* ʒſs. *m. f. Hauſt. ſexta quaque Hora ſumend.*

Theſe he took for two or three Days, till he miſſed his Fever Fit: But, his Cholick continuing, though in a much milder Degree, I ordered him to repeat his Purge.

℞ *Cort. Peruv. pulv.* ℈j. *Spec. Diambr. Pulv. Ari C.* āā *gr.* v. *Conf. Alcherm. q. ſ. m. f. Bolus ter de Die ſumend. per duos Dies.*

He was now pretty free from the Cholick, and continued to miſs his Ague Fit.

℞ *Tinct. Sacr.* ℥ijſs. *Syr. de Spin. Cerv.* ʒiij. *Sp. Lav. comp.* ʒj. *m. f. Hauſt.*

This worked ſufficiently with him. His Leg continued ſwelled, and in ſome Pain. I ordered a Bliſter which ran very well, but abated the Swelling but little. I ordered him to repeat the Purge once in three or four Days, as he ſhould ſee Occaſion; and to take the following Infuſion:

℞ *Rad. Gent. Galang. Zedoar. Flav. Cort. Aurant.* āā ʒj. *Sal. Tartar.* ʒſs. *infunde frigidè in Aq. Lact. Al.* ℥x. *Colaturæ adde Aq. Cinnam. fort. Pæon. comp. Mirab. Abſinth. mag. c.* āā ℥j. *Sp. Lav. c.* ʒij. *m. cap. Cochl.* v. *bis de Die.*

I likewiſe ordered him to wear a laced Stocking on the ſwelled Leg.

CASE II.

I Was called to one Mr. *W*——*y*, who had lain ill fourteen Days of a Fever, complained of Sickneſs, and a Pain in his Head and Back. Had not taken a Vomit * at the Beginning. He had ſweated for a Day or two, and his Pains were pretty well gone off. His Pulſe was low, and he complained much of fainting Fits.

* *In Febribus quæ Vomendi Conatu invadunt, niſi opportunè exhibeatur Emeticum, ſequitur Diarrhœa.*

℞ *Lap.*

℞ *Lap. Contrayerv.* ℈j. *Croc. Caſtor.* āā *gr.* v. *Conf. Alcherm. q. ſ. m. f. Bolus cap. ſexta quaque Hora ſuperbibendo Seri Canarini* ℔ſs.

Upon taking this Medicine he found himſelf ſomething relieved, eſpecially from his Faintneſs, which I believe had been occaſioned by his having taken warm * Medicines at the Beginning of his Illneſs, and no Emetic given, and afterwards only teſtaceous Powders. He ſweated but little, but complained that he was ſeized irregularly three or four Times a Day with a Burning, and afterwards with a little Sweating; after which he continued eaſy for an Hour or two.

℞ *Sal. Abſinth.* ʒſs. *Succ. Limon.* ʒvj. *Aq. Cinnam. Hord.* ℥j. *Sal. Vol. Ol.* ʒſs. *m. f. Hauſt. capiat quarta quaque Hora.*

He took theſe Draughts four or five Days, till his Fever began to intermit regularly, and every Day became lighter. Since his Taking the Draughts, he was inclined to a Looſeneſs, ſometimes with Griping, and ſtill continued faint.

Bibat Decoct. alb. pro Potu communi.

℞ *Cort. Peruv. pulv. Conf. Fracaſt. S. M.* āā ʒſs. *Syr. Cydon. q. ſ. m. f. Bolus ſumend. quarta quaque Hora extra Paroxyſmum.*

℞ *Sp. Sal. Vol. Ol.* ℥j. *capiat gutt.* xij. *bis vel*

* *In Principio Febris Remediis ſimplicioribus uti convenit. A ſimplicibus ad compoſita facilis Tranſitus, vice verſa difficilis.*

ter

ter de Die in Hauſtu Vini albi urgente Languore.

The Boluſes agreed very well, and his Fever came now regularly every Night about Ten, and laſted about an Hour. He complained of an Oppreſſion at his Breaſt, and Cough.

℞ *Cort. Peruv. opt. pulv.* ℥j. *coque in q. ſ. Aq. Fontan. ad* ℔j. *ſub Finem Coctionis adde Styrac. Benzoin.* āā ʒj. *f. Apozema cujus capiat* ℥iij. *quintis Horis.*

Upon uſing theſe Draughts, his Fits returned with more Violence; and he complained now for the firſt Time of cold Shiverings, before the Heat came on. I ordered him to repeat the Bark, which, becauſe of his Cough, I preſcribed thus:

℞ *Cort. Peruv. opt. pulv.* ʒſs. *Sperm. Cæt.* ℈j. *Sal. C. C. gr.* vj. *Syr. Caryoph. q. ſ. m. f. Bolus ſumend. quarta quaque Hora ſuperbibendo Decoct. alb.* ℥ij.

He thought himſelf better, upon the firſt Uſe of this Medicine. He had one Fit in the Night, and ſweated violently afterwards, but reſted well the reſt of the Night, and the next Day was perfectly eaſy; but the Night following, which was the Fever Night (which came violently every third Night) he was ſeized three or four Times with Coldneſs, Burning, and Sweating afterwards, and lay very uneaſy all Night.

℞ *Cort.*

℞ *Cort. Peruv. opt.* ʒj. *Syr. Caryoph. q. ſ. f. Pilulas ſumend. quartis Horis ſuperbibendo Julepi ſequent.* ʒiij.

℞ *Tinct. Roſar.* ℔j. *Aq. Cinnam. fort.* ʒij. *Syr. Croc.* ʒj. *m.*

This had no Effect. He began to complain of Pain and Inflammation in one Leg *, which in two or three Days ſeemed to be coming to Matter. I adviſed the Laying on a drawing Plaiſter: But, being obliged to go out of Town, the Plaiſter was not applied, and the Apothecary, I believe, purged him; ſo that upon my Return I found the Swelling gone down, but his Pulſe hectical, violent Sweats, *&c.*

Slow or Hectick Fevers.

Electarium Nitroſum.

℞ Conſ. Cynoſbat. Lujul. Sperm. Cœt. āā ʒſs. Sal. Prunel. ʒj. Syr. Cap. Ven. q. ſ. m. f. Electarium, ſumat Quantit. Nuc. Moſch. ſextis Horis ſuperbibendo Decoct. Pect. ℔ſs.

The Nitrous Electuary.

Take Conſerve of Hips, Wood Sorrel, and Sperma Ceti, of each Half an Ounce: Salt of Prunella, a Drachm: Syrup of Maiden-hair, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg

* *Cort. Peruv. & Opiata Febrium Depurationem impediunt.*

to

to be taken every ſix Hours, drinking Half a Pint of Pectoral Decoction after it.

Obſervations.

This is a cooling balſamick Remedy in Inflammations of the Lungs, and hectical Heats.

Electarium Peruvianum Balſamicum.

℞ Cort. Peruv. pulv. ℥ſs. Coccinel. ℈j. Flor. Benzoin. ℈ſs. Sp. Sulph. p. C. gutt. x. Syr. Papav. errat. q. ſ. m. f. Electarium, ſumat Quantit. Nuc. Moſchat. ſexta quaque Hora.

The Peruvian Balſamick Electuary.

Take *Peruvian* Bark powdered, Half an Ounce: Cochineal, a Scruple: Flowers of *Benjamin*, Half a Scruple: Syrup of Sulphur by the Bill, ten Drops: Spirit of Red Poppies, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken every ſix Hours.

Obſervations.

In remitting hectick Fevers this will be found a good reſtorative balſamick Remedy.

Elect. Peruvian. Reſtring.

℞ Conſ. Roſar. rubr. ℥j. Cort. Peruv. opt. pulv. ℥ſs. Terr. Japon. Sang. Drag. Alum. rup. āā ʒſs. Syr. Papav. errat. q. ſ. Elix. Vitriol. gutt. viij. f. Pulpa per Setac. trajiciend. ſum. Quant. Nuc. Moſchat. ter quaterve de Die ſuperbibendo Aq. Briſtol. ℔ſs.

The Reſtringent Peruvian Electuary.

Take Conſerve of Roſes, an Ounce: The beſt *Peruvian* Bark powdered, Half an Ounce: Japan Earth, Dragon's Blood, and Roch Alum, of each Half a Drachm: Syrup of wild Poppies, a ſufficient Quantity: Elixir of Vitriol, eight Drops. Pulp it through a Sieve. The Quantity of a Nutmeg to be taken two or three Times a Day, drinking after it Half a Pint of *Briſtol* Water.

Obſervations.

In conſumptive Caſes where the Bark is proper, and the Inteſtines not ſtrong enough to retain the ſame by itſelf, this Method ſeldom deludes the Expectation of the Preſcriber.

Hauſtus Salinus.

℞ Sal. Abſinth. ℈ij. Succ. Limon. Cochl. j. m. pro Hauſtu.

The Saline Draught.

Take Salt of Wormwood, two Scruples: Juice of Lemons, a Spoonful. Mix them for a Draught.

Obſervations.

This is the moſt effectual Method of taking this Remedy.

CASE I.

I Viſited a poor Man in the laſt Stage of a Conſumption, with an Hectick, Night Sweats, Hoarſeneſs, and, what was the moſt trouble-

troubleſome, a colliquative Looſeneſs, with violent Gripings. I ordered him as follows:

℞ *Rhabarb. gr.* x. *R. Ippecac. pulv. gr.* iv. *Conf. Fracaſt. q. ſ. m. f. Bolus.*

His Looſeneſs ſtopped, upon which his Belly ſwelled with great Pain from the Tenſion. I ordered:

℞ *Rhab. pulv. gr.* xij. *Ippecacuan. gr.* ij. *m.*

This gave him three or four Stools, which carried off the Swelling, but he died in a few Days after.

CASE II.

A Silverſmith had been for many Years troubled with a conſumptive Cough, Hoarſeneſs, hectick Heats: Finding them grow worſe, ſent for me. His Cough was now very troubleſome, and he ſpit much with it. I ordered him to take *Pulv. è Chel. ſimp. &c.*

℞ *Ol. Amygd. d. Lini S. ℥.* ää ʒj. *Terr. Japon. Gum. Arabic. Sacch. cand.* ää ʒj. *Syr. de Mecon.* ʒſs. *m. f. Linct. cujus cap. Cochl.* j. *frequenter urgente Tuſſi.*

Upon taking the Powders, his Fever abated, and his Spitting likewiſe was leſs, but began to complain of a Weight on his Breaſt, and Dejection of his Spirits. I ordered the Continuance of the Linctus without the Aſtringents, and a light Bitter to be taken twice a Day. The Bitter agreed very well, and got him a

tolerable Appetite. I adviſed him ſtrictly to a Milk Diet; to make a couple of Iſſues in his Shoulders, and to take the Quantity of a Nutmeg of the following Electuary, when he found himſelf bound:

℞ *Elect. Lenitiv.* ℥j. *Rad. Rhæi pulv.* ʒj. *Syr. Viol. q. ſ. m. f. Elect.*

Diſeaſes of the HEAD.

The APOPLEXY.

CASE I.

I Was ſent for to Mr. *Sh——e*, a Gentleman of about thirty-two, but of a tender Conſtitution, and much impaired by Drinking. He had been two or three Times ſeized with Fits, pretty much of the apoplectick Kind, in the laſt of which, about three Quarters of a Year before the preſent Attack, he had been blooded ſeveral Times, and had, in the Whole, ſixty Ounces of Blood taken away: After which he was ordered to be cupped, and to take a Bitter to help his Stomach. His Memory continued ſomething impaired by the foregoing Fit, and he complained at Times of a Weakneſs in one Arm. As he was ſitting down to Dinner three Days ago, he was attacked of a Sudden with a ſtrong Convulſion; turning black in the Face, and almoſt ſpringing out of his Chair, notwithſtanding he was held by two Men: But, after a few Minutes, recovering his

Senſes, he complained of a violent Pain in one of his Shoulders. He continued in his Senſes about four Hours without Bleeding, except a little Blood that ran from his Noſe in the Fit, or any other Help than Cordial Drops; and then fell into another Fit, in which he lay doſing, and ſinking quite down, for about a Quarter of an Hour: But, upon loſing about ℥xvj. of Blood, and taking a Draught of the following Julep, he came to himſelf.

℞ *Aq. Lact. Alex. Ceraſ. nigr.* āā ℥vj. *Bryon. Pæon. c.* āā ℥ij. *Sp. Lav. c.* ʒij. *Margarit. ppt.* ʒſs. *Sacch. cand. albiſſim. q. ſ. f. Julep.*

Applicentur Empl. Epiſpaſt. Nuchæ & Humeris internis.

℞ *Decoct. com. pro Clyſt.* ℥x. *Ol. Lini, Chamomel.* āā ℥ij. *Elect. è Bacc. Laur.* ℥ſs. *f. Enema ſtatim injiciendum.*

℞ *Pulv. ad Guttet.* ℈j. *Caſtor. Myrrh.* āā *gr.* v. *Conf. Alcherm. q. ſ. m. f. Bolus ſumend. ſexta quaque Hora.*

℞ *Sp. Lavend. C. Tinct. Caſtor.* āā ℥ſs. *m. ſumat gutt.* xvj. *ſæpiùs in Hauſtulo Seri Canarin. tepidè.*

His Clyſter worked ſeven or eight Times in the Night, and his Bliſters ran well. The Pain in his Shoulder was rather abated, and he was now able to move his Fingers, and the Leg of that Side recovered its Uſe. The next Morning Dr. *Friend* was called in, and the following Medicines were ordered:

℞ *Aq.*

℞ *Tinct. Sacr.* ℥ijſs. *Syr. de Spin. Cerv.* ʒiij. *Sp. Lavend. c.* ʒſs. *m. f. Hauſt. ſumend. ſtatim.*

℞ *Aq. Ceraſ. nigr.* ℥jſs. *Pæon. comp.* ʒſs. *Pulv. ad Guttet.* ℈j. *Sp. C. C. per ſe guti.* xx. *Syr. è Cort. Aurant.* ʒij. *m. f. Hauſt. ſumend. quinta quaque Hora.*

℞ *Aq. Reg. Hungar.* ℥iv. *Laud. Liq. Syd.* ʒij. *m. fricetur Pars affecta ſæpius.*

℞ *Aq. Puleg.* ℥vj. *Tinct. Caſtor.* ʒſs. *Gum. Ammoniac.* ʒj. *f. Mixtura cujus capiat Cochl.* ij. *urgentibus Oppreſſionibus.*

His Purge moved him ten or eleven Times: He lay delirious all Night, which I believe proceeded from the Pain of his Bliſters; for, as ſoon as they were dreſſed, he got a little Sleep: But his Senſes continued to be confuſed by Starts. His Pulſe continued ſluggiſh, and rather low.

℞ *Tinct. Sacr.* ℥ijſs. *Syr. de Spin Cerv.* ʒſs. *Sp. Lavend. c.* ʒſs. *m. f. Hauſt. ſumendus craſtino Mane.*

Pergat in Uſu Hauſtus Cæphalici bis de Die, Mane & Veſperi: & fiant Fontanell. ij. *ſupra Scapulas.*

℞ *Ung. Nervin.* ʒiij. *Sp. Tereb.* ʒiij. *Sp. Sal. Ammon.* ʒij. *m. f. Unguent. quo fricetur Pars affecta bis de Die.*

He continued ſo delirious for ſome Days after, that it was neceſſary to have him cupped.

The

The EPILEPSY, VERTIGO, *and* TETANUS.

CASE I.

MR. *S——r* complained of great Lowneſs of Spirits, Dizzineſs in his Head, eſpecially upon Reading, Faintings, Oppreſſion at his Breaſt, *&c.*

℞ *Conſ. Abſinth. Rom. Flav. Cort. Aurant.* āā ʒvj. *Cort. Winter. pulv. Spec. Diambr.* āā ʒj. *Syr. Cort. Aurant. q. ſ. m. f. Electarium, ſumat Quantitatem Nuc. Moſchat. ter de Die ſuperbib. Hauſt. Aquæ Spadan.*

℞ *Galban. Sagapen. Caſtor.* āā *gr.* v. *Sal. C. C. gr.* iv. *Syr. ex Alth. q. ſ. m. f. Pilul. ſumend. ſingula Nocte.*

℞ *Pil. Ruffi* ʒſs. *m. f. Pilul. ſumend. prima Mane ſi Alvus ſit adſtrictior.*

CASE II.

A Girl of ſeven Years, was taken in the Night with a violent Convulſion Fit, complaining the next Day of beginning Blindneſs, which in a Week was total, with a *Gutta Serena:* Loſt the Uſe of all her Limbs. She continued thus about ſix Months, then grew feveriſh, with continual Screamings and Convulſions. Died.

In the Brain between the two Hemiſpheres, more on the left than right Side, we found a round

round Bag of limpid Serum, which had made a Neſt for itſelf, ſo that but little of it appeared, till the Hemiſpheres were parted: It preſſed upon the *Corpus Calloſum*, and adhered to it, but was eaſily taken out whole, and weighed nine Ounces.

An Hæmorrhage from the Nose.

Injectiones Reſtringentes.

1.

℞ Aq. Plantag. ℥vj. Alum. rup. Sacch. Saturn. Maſtic. āā ʒj. f. Solutio cujus injiciatur aliquantulum urgente Hæmorrhagia.

2.

℞ Acet. acrior. ℥ij. Sacch. Saturn. ʒij. Alum. rup. ʒj. m. Naribus injiciend.

3.

℞ Aq. Calcis Plantag. āā ℥iij. Alum. rup. ʒj. m. f. Injectio Naribus immittenda.

4.

℞ Tinct. Roſar. ℔ſs. Aq. Calc. ℥ij. Alum. rup. ʒj. m. f. Injectio.

5.

℞ Acet. acerrimi ℥vj. Sacch. Saturn. ʒij. m. f. Injectio.

The Reſtringent Injections.

1.

Take Plantain Water, ſix Ounces: Roch Allum, Sugar of Lead, and Maſtich, of each a Drachm.

a Drachm. Make a Solution. A little of which is to be injected againſt Bleeding.

2.

Take ſharp Vinegar, two Ounces: Sugar of Lead, two Drachms: Roch Alum, a Drachm. Mix and make an Injection for the Noſe.

3.

Take Lime and Plantain Waters, of each three Ounces: Roch Alum, a Drachm. Make a Mixture to inject the Noſtrils.

4.

Take Tincture of Roſes, Half a Pint: Lime Water, two Ounces: Roch Alum, a Drachm: Mix and make an Injection.

5.

Take The ſharpeſt Vinegar, ſix Ounces: Sugar of Lead, two Drachms. Mix and make an Injection.

Obſervations.

Theſe are proper external Styptics for ſtopping Hæmorrhages.

Hauſtus Nitroſus.

℞ Aq. Plantag. ℥ij. Syr. Rub. Id. ʒij. Sp. Nitr. dulc. ʒſs. Sal. Prunel. ℈j. m. f. Hauſtus ſexta quaque Hora ſumend.

The Nitrous Draught.

Take Plantain Water, two Ounces: Syrup of Raſberries, two Drachms: Sweet Spirit of Nitre, Half a Drachm: Salt of Prunella, a Scruple. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is a cooling diuretic Draught, and allays the Ebullition and Heat of the Blood.

The QUINSY.

Bolus Refrigerans.

℞ Conſ. Lujulæ, Spec. Diatrag. frig. āā ʒſs. Sal. Prunel. ℈j. Syr. Cydon. q. ſ. m. f. Bolus ſexta quaque Hora ſumend.

The Cooling Bolus.

Take Conſerve of Wood Sorrel, cooling Species of Gum Tragacanth, of each Half a Drachm: Salt of Prunella, a Scruple: Syrup of Quinces, a ſufficient Quantity. Mix and make a Bolus to be taken every ſix Hours.

Obſervations.

This is cooling and diuretic.

Gargariſmata Diſcutientia.

1.

℞ Decoct. Pector. ℔ſs. Aq. Theriac. ℥iv. Sp. Sal. Ammon. ʒj. m. f. Gargariſma.

2.

℞ Decoct. Pect. ℥xij. Aq. Mirab. ℥ij. Sp. Salis Ammon. ʒj. m. f. Gargariſma cujus tepefact. cap. Cochl. j. quoties libet.

The

The Diſcutient Gargles.

1.

Take Pectoral Decoction, Half a Pint: Treacle Water, four Ounces: Spirit of Sal Ammoniac, a Drachm. Mix and make a Gargle.

2.

Take Pectoral Decoction, twelve Ounces: Aq. Mirabilis, two Ounces: Spirit of Sal Ammoniac, a Drachm. Mix and make a Gargle. A Spoonful to be taken at Pleaſure.

Obſervations.

Theſe are proper to diſperſe Matter collected in the Glands of the Throat.

Mucilago.

℞ Decoct. Sem. Cydon. ad Syrupi tenuioris Conſiſtent. ℥iv. Syr. Rub. Id. ℥j. Sp. Sulph. q. ſ. ad grat. Aciditatem. m. f. Gargariſma cujus in Ore contineat. Cochl. j. ſæpè &. ſenſim deglutiat.

The Mucilage.

Take Decoction of Quince Seeds of the Conſiſtence of thin Syrup, four Ounces: Syrup of Raſberries, an Ounce: Spirit of Sulphur by the Bell, a ſufficient Quantity to make it gratefully acid. Mix and make a Gargle. A Spoonful to be held in the Mouth frequently, ſwallowing it gradually.

Obſervations.

This is uſeful to relax and mollify the internal Parts of the Mouth and Throat.

The Diſeaſes of the BREAST.

The ASTHMA.

Hauſtus Balſamicus.

℞ Aq. Ceraſ. nigr. ℥iij. Pæon. comp. Syr. Balſamic. āā ℥j. Tinct. Croc. ʒij. Sp. Sal. Vol. Oleoſ. gutt. xxv. m. f. Hauſtus ſumendus Hora Somni.

The Balſamic Draught.

Take Black Cherry Water, three Ounces: Compound Piony Water and Balſamic Syrup, of each one Ounce: Tincture of Saffron, two Drachms: The oily Spirit of Volatile Salt, twenty-five Drops. Mix and make a Draught to be taken going to Reſt.

Obſervations.

This is a cordial balſamic Medicine, and proper in aſthmatic Caſes to revive the Spirits exhauſted by laborious obſtructed Reſpiration.

Hauſtus Emeticus.

℞ Aq. Lact. Al. Oxym. Scillit. āā ℥j. Syr. de Roſ. ſicc. ʒvj. m. f. Hauſt. Veſperi ſumend. ſuperbibendo urgente Vomitione Juſcul. Avenac. Ibij.

The Emetick Draught.

Take Alexiterial Milk Water and Oxymel of Squills, of each an Ounce: Syrup of dried Roſes, ſix Drachms. Mix and make a Draught to be taken in the Evening, drinking

ing a Quart of Water Gruel during its Operation.

Obſervations.

This is a gentle Emetic, calculated for the Relief of weak aſthmatic Perſons, whoſe Bronchia are ſtuffed with viſcid Phlegm.

Hauſtus Scilliticus.

℞ Aq. Cinnam. ten. ℥ij. Oxymel. Scillit. Cort. Aurant. āā ʒij. Spir. Lav. comp. gutt. xx. m. f. Hauſt. ſumendus H. S.

The Squill Draught.

Take ſmall Cinnamon Water, two Ounces: Oxymel of Squills, and Syrup of Orange Peel, of each two Drachms: Compound Spirit of Lavender, twenty Drops. Mix and make a Draught to be taken going to Reſt.

Obſervations.

This is a gentle Expectorant, and of Service in aſthmatic Diſorders proceeding from Phlegm congeſted in the glandular Paſſages of the Lungs.

CASE I.

DR. *P*—— was taken with an aſthmatick Conſtriction of the Muſcles of the Thorax; declined Bleeding, as being of an hypochondriack Conſtitution. Upon laying on three Bliſters, the Humor was thrown into one of his Feet, where he had a regular Fit of the Gout.

CASE

CASE II.

AN elderly Woman near ſeventy, hyſterick, aſthmatick, no Appetite nor Sleep.

* ℞ *Gum. Ammon.* ʒj. *Galban.* ℈j. *Sal. C. C. vol.* ℈j. *ſolve in Aq. Ceraſ. nigr* ʒvjii. *m. cap. Cochl.* j. *frequenter urgente Dyſpnœâ.*

℞ *Spec. Diambr. S. O.* ʒj. *Aq. Lact. Alex. Ceraſ. nigr. Cinnam. ten. Abſinth. mag. comp.* āā ʒij. *f. Mixt. ſum. Cochl.* iv. *bis de Die Horis Medicinalibus.*

℞ *Gum. Galban. Aſſafœtid. Sagapen. Caſtor.* āā *gr.* vj. *Sal. Ammon. vol. gr.* iv. *Extr. Thebaic. gr.* j. *m. f. Pilul. ſumend. omni Nocte H. S.*

A COUGH.

Electaria Pectoralia.

1.

℞ Conſ. Roſ. rubr. ʒij. Balſ. Sulph. Terebinth. ʒj. m. ſum. ʒij. ter de Die.

2.

℞ Conſ. Roſ. rubr. ʒj. Coral. rubr. Chel. Cancr. præp. Ocul. Cancr. ppt. Sperm. Cœt. Balſ. Peruv. āā ʒj. m. f. Electarium, ſum. Quantit. Nucis Moſchat. ter de Die.

The Pectoral Electuaries.

1.

Take Conſerve of Roſes, two Ounces: Bal-

* This Method ſucceeded very well with Miſs *S——th*, who was likewiſe troubled with hyſterick Fits.

ſam

ſam of Sulphur made with Oil of Turpentine, a Drachm. Mix them together. Two Drachms to be taken three Times a Day.

2.

Take Conſerve of Roſes, an Ounce: Red Coral, Crabs Eyes and Claws prepared, Sperma Ceti, and *Peruvian* Balſam, of each a Drachm. Mix and make an Electuary. The Quantity of a Nutmeg to be taken three Times a Day.

Obſervations.

Theſe are warm Pectorals, and good in certain inveterate Coughs, attended with difficult Expectoration.

Hauſtus Oleoſi.

1.

℞ Ol. Amygd. dulc. ʒvj. Syr. Capill. Ven. Aq. Pæon. c. āā ʒij. Sp. Lavend. c. ʒſs. m. f. Hauſtus H. S. ſumendus.

2.

℞ Syr. Cap. Ven. Ol. Amygd. dulc. āā ℥ſs. Aq. Cinnam. ten. ℥ſs. Sacch. alb. ʒj. m. f. Hauſtus.

The Oily Draughts.

1.

Take Oil of Almonds, ſix Drachms: Syrup of Maidenhair and compound Piony Water, of each two Drachms: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken going to Reſt.

2. Take

2.

Take Syrup of Maidenhair, and Oil of Almonds, of each Half an Ounce: Small Cinnamon Water, Half an Ounce: Sugar, a Drachm. Mix and make a Draught.

Obſervations.

Theſe are good lubricating Pectorals, defend the Larynx againſt catarrhal Defluxions, and promote their Diſcharge.

Pilulæ Balſamicæ.

1.

℞ Galban. Aſſafœtid. Caſtor. Ruſſ. āā ʒſs. Pil. de Styrac. gr. xviij. m. f. Pilul. granor. quinque, ſumat quinque pro Doſi H. S.

2.

℞ Gum. Ammoniac. Galban. Aſſafœtid. āā ʒſs. Pil. de Styrac. ℈j. m. f. Pilul. granorum quinque.

The Balſamick Pills.

1.

Take Galbanum, Aſſafœtida, and *Ruſſia* Caſtor, of each Half a Drachm: Styrax Pills, eighteen Grains. Mix and make into Pills, each weighing five Grains. Five to be taken for a Doſe going to Reſt.

2.

Take Gum Ammoniac, Galbanum, and Aſſafœtida, of each Half a Drachm: Styrax Pills, a Scruple. Mix and make into Pills, each weighing five Grains.

Obſer-

Obſervations.

Theſe Pills are uſeful in Catarrhs and nervous Coughs, but are by no Means ſafe in aſthmatic Complaints attended with Phlegm, and Conſtriction of the Breaſt.

The Diſeaſes of the STOMACH *and* INTESTINES.

Bolus Catharticus.

℞ Rhabarb. pulv. Elect. Lenitiv. āā ʒſs. Syr. de Spin. Cerv. q. ſ. m. f. Bolus.

The Cathartick Bolus.

Take Rhubarb powdered and Lenitive Electuary, of each Half a Drachm: Syrup of Buckthorn, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

This is a good ſtomachick Purge.

Electaria Stomachica.

1.

℞ Conſ. Flaved. Aurant. ʒſs. Pulv. è Chel. Cancr. comp. Margarit. ppt. āā ʒij. Spec. Diambr. S. O. ʒj. Syr. Caryoph. q. ſ. m. f. Electarium, ſumat Quantit. Nucis Moſch. bis de Die.

2.

℞ Conſ. Abſinth. Rom. Flaved. Aurant. āā ʒvj. Cort. Winteran. pulv. Spec. Diambr. āā ʒij.

āā ʒij. Syr. Cort. Aurant. q. ſ. m. f. Electarium molle, cujus cap. Quant. Nucis Moſchat. bis Die ſuperbibendo Aq. Spadan. ℔ſs.

The Stomachick Electuaries.

1.

Take Conſerve of Orange Peel, Half an Ounce: Compound Powder of Crabs Claws, Pearl prepared, of each two Drachms: Species Diambra, a Drachm: Syrup of Gillyflowers, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

2.

Take Conſerve of *Roman* Wormwood and Orange Peel, of each ſix Drachms: *Winter*'s Cinnamon powdered, Species Diambra, of each two Drachms: Syrup of Orange Peel, a ſufficient Quantity. Mix and make a ſoft Electuary. The Quantity of a Nutmeg to be taken twice a Day, drinking after it Half a Pint of *Spaw* Water.

Obſervations.

Theſe anſwer the ſame Intention as the *Elect. Stomach.* Part I, Page 50.

Hauſtus Anodynus.

℞ Aq. Ceraſ. nigr. ʒij. Pæon. comp. ʒſs. Theriac. Lond. ʒſs. m. f. Hauſt. H. S. ſumendus.

The Anodyne Draught.

Take Black Cherry Water, two Ounces: Compound Piony Water, Half an Ounce: *Lon-*

don

don Treacle, Half a Drachm. Mix and make a Draught to be taken going to Reſt.

Obſervations.

This is a proper Anodyne to be taken after the Operation of Cathartics, *&c.*

Hauſt. Cathart. Anodyn.

℞ Tinct. Sacr. ʒiij. Laud. Liquid. Sydenhami gutt. xx. m. f. Hauſt. ſtatim ſumend.

The Anodyne Cathartick Draught.

Take Tincture of Hiera Picra, three Ounces: *Sydenham*'s Liquid Laudanum, twenty Drops: Mix and make a Draught to be taken immediately.

Obſervations.

In Cholics this is a proper Cathartick.

Hauſtus Cathartìcus.

℞ Fol. Senæ ʒij. Rhabarb. ʒjſs. Cinnam. ℈j. coque in ſ. q. Aq. Fontan. ad Colat. ʒij. adde Aq. Mirab. ʒiij. Elix. Prop. Helm. ʒj. m. f. Hauſtus Mane ſumendus.

The Cathartick Draught.

Take Sena Leaves, two Drachms: Rhubarb, a Drachm and Half: Cinnamon, a Scruple. Boil them in a ſufficient Quantity of Spring Water, to ſtrain off two Ounces. Add Aq. Mirabilis, three Drachms: *Helmont*'s Elixir Proprietatis, a Drachm. Mix and make a Draught to be taken in the Morning.

Obſervations.

This is an excellent ſtomachick Purge.

Hauſtus Solutivus.

℞ Rad. Rhabarb. opt. pulv. gr. vj. Syr. Violar. ʒij. Aq. Lact. Alex. ℥j. m. f. Hauſt. Mane ſumendus.

The Solutive Draught.

Take The beſt Rhubarb powdered, ſix Grains: Syrup of Violets, two Drachms: Alexiterial Milk Water, an Ounce. Mix and make a Draught.

Obſervations.

This is uſed to keep the Body open in Children: For the Worms, *&c.*

Mixturæ Cathartiæ.

1.

℞ Tinct. Sacr. ℥viij. Mart. Mynſ. ʒiij. f. Mixtura, cujus capiat Cochl. ij. ſingulis Auroris.

2.

℞ Tinct. Sacr. ℥vj. Sp. Lav. c. Sal. Vol. Ol. āā ʒſs. m. f. Mixtura, ſumat Cochl. ij. ſingulis Auroris ad ſex Dies.

The Cathartick Mixtures.

1.

Take Tincture of Hiera Picra, eight Ounces: *Mynſicht*'s Tincture of Steel, three Drachms. Make a Mixture. Two Spoonfuls to be taken every Morning.

2.

Take Tincture of Hiera Picra, ſix Ounces: Spirit of Lavender, and oily Spirit of Volatile Salt, of each Half a Drachm. Make a Mixture. Two Spoonfuls to be taken, every Morning, ſix ſucceſſive Days.

Obſervations.

In chronical Pains of the Stomach, &c. theſe will often give great Relief.

Tinctur. Peruv. Amara.

℞ Cort. Peruv. opt. ℥ſs. coq. in ſ. q. Aq. Fontan. ad ℥x. & infunde Rad. Gallang. Cort. Winteran. Sem. Cardam. min. Flaved. Cort. Aurant. āā ʒj. Colaturæ adde Aq. Pæon. comp. Abſinth. mag. comp. Vin. Chalyb. āā ℥ij. f. Tinctura, cujus cap. Cochl. iv. bis de Die Horis Medicinal.

The Peruvian Bitter Tincture.

Take The beſt *Peruvian* Bark, Half an Ounce. Boil it in a ſufficient Quantity of Spring Water to ten Ounces; afterwards infuſe in it Galingal Root, *Winter*'s Cinnamon, Leſſer Cardamoms, Orange Peel, of each a Drachm. To the ſtrained Liquor add compound Piony and Wormwood Water of the greater Compoſition, Steel Wine, of each two Ounces. Mix and make a Tincture. Four Spoonfuls to be taken twice a Day at Medicinal Hours.

Obſervations.

In Relaxations of the Stomach, the continued

nued Uſe of this Tincture will ſtrengthen its internal Coat, and brace the Fibres of the ſame.

Tinctura Stomachica.

℞ Rad. Gentian. Flaved. Cort. Aurant. ää ʒij. infunde frigidè in Vin. alb. Mont. ℔j. f. Tinctura, cujus cap. Cochl. v. bis de Die Horis Medicinalibus.

The Stomachick Tincture.

Take Gentian Root and Orange Peel, of each two Drachms; infuſe them cold in a Pint of Mountain. Make a Tincture, of which five Spoonfuls are to be taken twice a Day at Medicinal Hours.

Obſervations.

This is proper to ſtrengthen the Stomach, and procure a good Digeſtion.

CASE I.

MARY A——g complained of Cholick Pains, *cum Adſtrictione Alvei*, Retching in a Morning, Want of Appetite, Riſings in the Throat, with other hyſterical Symptoms.

℞ *Tinct. Sacr.* ʒviij. *Sp. Lav. c.* ʒiij. *m. cap. Cochl.* iij. *ſingulis Auroris.*

CASE II.

THE Mother of the former Patient complained, ſhe was ſeized with Gripings every Night upon going to Bed, which kept her awake the greateſt Part of the Night. She was ſubject to Purging.

℞ *Tinct.*

℞ *Tinct. Rhabarb.* ℥viij. *cap. Cochl.* iij. *ſingulis Auroris ſumend. Pilul. ſeq. ſingula Nocte H. S.*

℞ *Gum. Galban. Sagapen. Aſſafœtid. Caſtor. Pil. de Styrace* āā ʒſs. *m. f. Pilulas pro ſex Doſibus.*

CASE III.

A Woman in St. *Thomas*'s Hoſpital, about thirty, had a violent Pulſation on her left Side all down the Abdomen, like the Beating of the Aorta: Her Belly ſwelled, was ſoft: A ſenſible Fluctuation of Wind in the Bowels upon the leaſt Preſſure, complained of cholicky Pains, went to Stool but ſeldom: Appetite pretty good: Florid Complexion: Menſes regular. Hyſterical Medicines, warm Purges, Carminatives, &c. were adminiſtered. *Sed nequicquam omnia.*

CASE IV.

ELISABETH M——ws complained of a violent Pain in her Stomach, which ſhe perceived about a Month after having ſwallowed a Gold Ring. Her Indiſpoſition was a violent Vomiting after Food, and Uneaſineſs, till her Stomach was filled again. After having taken all proper Medicines, ſhe languiſhed for near ſix Years, and died.

Upon Opening her Body, the Stomach was found divided in the Middle by a Stricture: The upper Part of it was full of Food, and at the Bottom lay the Ring covered over with a black

a black Mucus, and ſomewhat rough. The other Stomach adhered firmly to the concave Side of the Liver, and had very little Aliment in it. She ſeldom went to Stool more than once a Fortnight. Her Purges never worked: And, for ſome Time before ſhe died, ſhe could not admit any ſolid Body into her Stomach *.

CASE V.

I Was ſent for to an old Fellow, near ſeventy, who had drank Quantities of ſtrong Liquors. His Appetite was quite gone, his Pulſe ſinking, violent Pains in his Shin † Bones.

℞ *Tinct. Sacr.* ℥ijſs. *capiat Cochl.* j. *vel* ℥j. *H. S. cum Sp. Lavend. c. gutt.* xx. *reliquum Mane proximo ſuperbibat.*

This worked pretty ſtrongly with him. I ordered him the next Day the following Electuary:

℞ *Conſ. Roſ. r. Abſinth. Rom.* āā ℥ſs. *Flav. Cort. Aurant. Cort. Winteran.* āā ʒij. *Syr. Cort. Aur. q. ſ.*

He took once or twice of this Electuary,

* *Vide* KERCKRINGII *Spicil. Obſ.* I.

† I am told that the Pains in the Shin Bones are common with thoſe who owe their Death to Drinking of ſtrong Liquors; and that they are generally a fatal Symptom.

HIPPOCR. P. 104. In Febre Convulſio, Manuumque ac Pedum Dolores, malignum quoddam prænuntiant. Malignus quoque ex Femore Doloris Impetus, ſed & neque Genuum Dolor probari poteſt. Quin & *Surarum* Dolores maligni ſunt: tum vero præcipuè ſi ſublimè quid in Urina innatet.

and

and ſeemed rather better, but afterwards grew tired of Phyſick, and in about a Month died.

CASE VI.

A Woman of a conſumptive Habit of Body, and troubled with hyſterical Diſorders, was ſeized with the *Cholera Morbus*. I ordered an aſtringent Clyſter, and the following Draught:

℞ *Aq. Ceraſ. nigr.* ℥jſs. *Pæon. comp.* ℥ſs. *Phylan. Rom.* ℈ij. *Syr. è Cort. Aurant.* ʒij. *m. f. Hauſt.*

The Clyſter gave her ſome little Eaſe; but ſhe brought up the Draught immediately.

℞ *Aq. Ceraſ. nigr.* ℥jſs. *Cinnam. fort.* ℥ſs. *Extr. Thebaic. gr.* jſs. *Sp. C. C. per ſe gutt.* xx. *Syr. è Cort. Aurant.* ʒij. *m. f. Hauſt.*

Repetatur Enema.

The Clyſter continued ſome Time longer than before: But, as ſoon as it worked off, ſhe complained again of the Pain in her Bowels. The Draught did not ſtay at all. I ordered a Repetition of the Clyſter, and the following Mixture:

℞ *Sal. Abſinth. gr.* xv. *Succ. Limon. recent.* ℥ſs. *Aq. Cinnam. ten. fort.* āā ʒiij. *Extr. Thebaic. gr.* jſs. *Syr. è Cort. Aur.* ʒj. *f. Mixtura, ſum. Cochl.* ſs. *omni Hora.*

This agreed tolerably well, and, after ſhe had taken it four or five Days, her Vomiting and Looſeneſs ſtopped. She complained throughout

her Illneſs of a Swelling on the left Side of her Belly juſt below the Ribs, with Pain and Weight. She had a Cough, and Pain on one Side of her Lungs. And ſhe now began to complain of a great Pain in her Throat towards the Pharynx, with Difficulty of Swallowing. Her Pulſe was low, and ſhe had frequent Shiverings. I foretold an Impoſthume was forming, and accordingly, about ten Days after I had firſt ſeen her, ſhe vomited, as they told me, a Spoonful or two of fluid Blood mixed with Matter; upon which ſhe ſwallowed with leſs Difficulty, and reſted tolerably well the Night following. The next Day I was ſent for to her again: She complained that her Difficulty in Swallowing began to increaſe again. I ordered her the following Draught, and to drink Water Gruel:

℞ *Oxymel Scillit.* ℥jſs. *Syr. Violar.* ʒij. *Aq. Lact. Alex.* ℥j. *m. f. Hauſt.*

This had no Effect. She complained of a violent Pain in her Lungs. Her Pulſe was quick, &c. ſo that, foreſeeing an Abceſs was forming in her Lungs, I diſcontinued Viſiting her. After her Vomiting was gone off, her Looſeneſs continuing, I ordered her to take a Spoonful of *Tinct. Rhæi*, but ſhe immediately brought it up, and continued to vomit all the next Day. Hartſhorn Drink ſtayed upon her Stomach.

CASE VII.

MRS. *W*—— was troubled *(à force de Boire)* with Vomitings in a Morning,

Cholick, Loſs of Appetite, Lowneſs of Spirits, Pain of the Back.

℞ *Tinct. Sacr.* ℥viij. *Sp. Lavend. c.* ʒiij. *f. Mixtura cujus capiat Cochl.* iij. *ſingulis Auroris.*

℞ *Gum. Ammon.* ʒj. *ſolve in Aq. Hyſſop.* ℥iv. *capiat Cochl.* iij. *ſingula Nocte H. S.*

CASE VIII.

MR. *T——r* was violently attacked with the Cholick, after having taken ſome *Tinct. Rhabarb.* which had not worked well.

℞ *Elix. Solut.* ℥jſs. *L. L. Syd. gutt.* x. *Sp. Lav. c. gutt.* xx. *m. f. Hauſt. ſumend. ſtatim.*

℞ *Aq. Ceraſ. nigr. Cinnam. ten. fort.* āā ℥j. *Phylon. Rom.* ʒſs. *Sacch. cand. alb. q. ſ. m. f. Hauſt. ſumend. H. S.*

CASE IX.

A Girl in St. *Thomas*'s Hoſpital, about fourteen, went to Bed very well; in the Morning found her Arm mortified: Was ſeized in a Day or two with the Cholick, and Mortification of the Bowels. Died *.

CASE X.

MR. *C——x*, the Apothecary, recommended a Relation to me, an old Woman, who complained of a violent Cholick,

* *Vide* TULP. *Obſerv.* XLVIII.

and Pain in her Stomach and Bowels, Shortneſs of Breath, Riſing in her Throat, Tremblings, and other hyſterick Symptoms. She was coſtive.

℞ *Tinct. Sacr.* ʒijſs. *Sp. Lav. c.* ʒſs. *f. Hauſt. ſumend. alternis Diebus ad tertiam vel quartam Vicem; & Diebus intermediis capiat Cochl.* iv. *Tincturæ ſequentis bis de Die.*

℞ *Spec. Diambr. S. O.* ʒj. *infunde in Vin. alb. Mont.* ʒx. *f. Tinctura, cui adde Vin. Chalyb.* ʒij.

℞ *Gum. Ammon.* ʒj. *Aq. Puleg.* ʒvj. *Tinct. Caſtor. Sp. Lav. comp.* āā ʒſs. *f. Mixtura, cujus capiat Cochl.* iij. *ſingula Nocte H. S.*

The HÆMORRHOIDS.

Electarium Solutivum.

℞ Elect. Diacaſſ. cum Manna ʒiv. Lact. Sulph. ʒj. Syr. ex Alth. q. ſ. m. f. Electarium, ſumat Quantitatem Nuc. Moſchat. bis de Die.

The Solutive Electuary.

Take Diacaſſia with Manna, four Ounces: Milk of Sulphur, an Ounce: Syrup of Marſhmallows, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

Obſer-

Obſervations.

This is a gentle ſolutive Medicine, adapted to the Cure of this Diſeaſe.

CASE I.

I Viſited a Woman violently afflicted with the Piles, and feveriſh.

℞ *Pulp. Caſſiæ* ʒij. *Fl. Sulph.* ʒſs. *m. f. Bolus ſumend. bis de Die.*

This griped her, and in a Day or two afterwards ſhe fell into a Looſeneſs, which relieved her firſt Complaint, but weakened her extremely.

℞ *Aq. Lact. Alex. Ceraſ. nigr.* āā ʒiij. *Cinnamon fort. Theriac.* āā ʒj. *Conf. Fracaſt. S. M.* ʒij. *f. Mixtura, cap. Cochl.* j. *poſt ſingulas Dejectiones.*

Her Looſeneſs ſtopped, but ſhe now began to be troubled with a Retching, Cholick Pains, and a Return of her firſt Symptoms.

℞ *Tinct. Rhabarb.* ʒijſs. *repetend. alterno vel tertio quoque Mane.*

This relieved her ſo much that ſhe complained of nothing but Weakneſs, and Want of Appetite.

℞ *Infuſ. amar. ſolut.* ʒx. *capiat Cochl.* v. *bis de Die.*

She recovered.

CASE

CASE II.

MR. *H——n* complained of a Pain in going to Stool, and ſome Blood coming away. He was coſtive: Had no Swelling outwardly, and bore Riding on Horſeback.

℞ *Lact. Sulph. Sacchar. cand. alb.* āā ʒſs. *f. Pulv. ſumend. omni Mane in Lact. Aſinin. Cochl.* j. *ſuperbibendo ejuſdem* ℔ſs.

℞ *Elect. Diacaſſ. cum Mann.* ʒiv. *ſumat Quantitatem Nuc. Moſch. majoris ſingula Nocte Hora Somni.*

℞ *Ung. Sambuc.* ʒiij. *Sp. Tereb.* ziij. *m. f. Unguent. quo illinantur Partes affectæ poſt ſingulas Sedes.*

A DIARRHŒA.

Hauſtus Specifici.

1.

℞ Aq. Ceraſ. nigr. Cinnam. ten. fort. āā ʒj. Bol. Armen. ʒſs. Rad. Ippecac. pulv. ℈ſs. Extr. Thebaic. gr. jſs. Syr. Cydon. ʒſs. m. f. Hauſt. Mane ſumendus.

2.

℞ Aq. Cinnam. fort. ʒj. Ceraſ. nigr. ʒij. Terr. Japon. pulv. zj. Rad. Ippecac. pulv. ℈ſs. Extr. Thebaic. gr. ijſs. Syr. Croc. ʒſs. Sp. Menth. zj. m. f. Hauſtus.

The

The Specifick Draughts.

1.

Take Black Cherry, ſmall and ſtrong Cinnamon Waters, of each an Ounce: *Armenian* Bole, Half a Drachm: Powder of Ippecacoanha, Half a Scruple: Theban Extract, one Grain and an Half: Syrup of Quinces, Half an Ounce. Mix and make a Draught to be taken in the Morning.

2.

Take ſtrong Cinnamon Water, an Ounce: Black Cherry Water, two Ounces: Powder of *Japan* Earth, one Drachm: Powder of Ippecacoanha, Half a Scruple: Theban Extract, two Grains and an Half: Syrup of Saffron Half an Ounce: Spirit of Mint, a Drachm. Mix and make a Draught.

Obſervations.

Theſe are of excellent Uſe in a chronical Diarrhœa to diſlodge the Cauſe of the Diſeaſe; and generally prove effectual, after moſt other Methods have failed.

CASE I.

A Man was adviſed to be ſalivated for a ſore Toe, fell into the Hands of an unſkilful Operator, who gave him great Quantities of Mercury, and threw him in a Dyſentery. His Mouth was ſwelled and contracted, his Head very much diſordered, and had had two regular Ague Fits.

Applicet. Empl. Epiſpaſt. Nuchæ.

℞ *Rhab.*

℞ *Rhabarb. pulv. gr.* xv. *Phylon. Rom.* ʒſs. *Syr. de Mecon. q. ſ. m. f. Bolus ſtatim ſumendus.*

℞ *Lap. Contrayerv.* ℈j. *Caſtor. Croc. opt.* āā *gr.* v. *Conf. Fracaſt. ſ. m. q. ſ. m. f. Bolus ſexta quaque Hora ſumend. ſuperbibendo Decoct. alb.* ℔ſs.

Theſe Medicines took off his Ague, and eaſed his Head; but his Looſeneſs rather increaſed upon him.

Repetatur Bolus Rhabarbarin.

℞ *Lap. Contray. gr.* xxv. *Croc. opt. gr.* vj. *Terr. Japon.* ℈j. *Ther. Lond.* ʒſs. *Syr. è Mecon. q. ſ. f. Bolus ſexta quaque Hora ſumendus.*

℞ *Aq. Ceraſ. nigr. Cinnam. ten. fort.* āā ʒiv. *Conf. Fracaſt. ſ. m.* ʒſs. *f. Mixtura, cap. Cochl.* j. *poſt ſingulas Sedes.*

℞ *Juſcul. Vervecin.* ℔ſs. *Ther. Londin.* ʒſs. *f. Enema.*

After having taken theſe Medicines two or three Days, his Looſeneſs ſtopped; but his Ague Fit returned, and he fell into colliquative Sweats.

℞ *Cort. Peruv. opt. pulv. Terr. Japon. Conf. Fracaſt. ſ. m.* āā ℈j. *Syr. Cydon. q. ſ. m. f. Bolus ſumend. ſexta quaque Hora ſuperbibendo Cochl.* v. *Julep. ſequent.*

℞ *Tinct. Roſar.* ʒviij. *Aq. Cinnam. fort.* ʒij. *Syr. Cydon.* ʒj. *m. f. Julep.*

His

His Looſeneſs returned. I ordered the firſt Medicines to be repeated, but to no Purpoſe.

The Bloody Flux.

Apozema Reſtringens.

℞ C. C. C. ℥iv. Cort. Quercin. virid. ℥ij. Gum. Arabic. ℥ſs. coque in ſ. q. Aq. Fontan. ad ℔iv. ſub Finem Coctionis adde Macis, Nuc. Moſchat. Caryoph. āā ʒj. Colaturæ bibat cum Vino pro Potu communi.

The Reſtringent Apozem.

Take burnt Hartſhorn, four Ounces: Oak Bark green, two Ounces: Gum Arabick, Half an Ounce; boil them in a ſufficient Quantity of Water to two Quarts: Towards the End of the Boiling add Mace, Nutmegs, and Cloves, of each a Drachm. The ſtrained Liquor to be drank mixed with Wine for common Drink.

Obſervations.

In obſtinate Diarrhœas this is a convenient Diet Drink.

Bolus Rhabarbarin.

℞ Rad. Rhabarb. torrefact. ʒſs. Tereb. Ven. q. ſ. m. f. Bolus Hora Somni ſumend.

The Rhubarb Bolus.

Take Rhubarb Root torrefied, Half a Drachm: *Venice* Turpentine, a Sufficiency to make a Bolus to be taken going to Reſt.

Obſervations.

This is given in Fluxes with Succeſs, and is a good Vulnerary in Caſes where the Inteſtines are excoriated.

Bolus Specificus.

℞ Coral. rubr. præp. ℈j. Cinnamom. pulv. Nuc. Moſchat. Macis, Ippecacuan. pulv. āā gr. v. Laud. Liquid. Sydenhami gutt. xx. Syr. Cort. Aurant. q. ſ. m. f. Bolus Mane ſumend.

The Specific Bolus.

Take Red Coral prepared, a Scruple: Cinnamon powdered, Nutmeg, Mace, and Ippecacuanha powdered, of each five Grains: *Sydenham*'s Liquid Laudanum, twenty Drops: Syrup of Orange Peel, a ſufficient Quantity. Mix and make a Bolus to be taken in the Morning.

Obſervations.

A good Remedy in Fluxes.

Enema Anodynum.

℞ Juſcul. Vervecin. ℔ſs. Gum. Arabic. ʒij. Elect. è Bacc. Laur. ʒj. Theriac. Lond. ʒſs. m. f. Enema.

The Anodyne Clyſter.

Take Mutton Broth, Half a Pint: Gum Arabick, two Drachms: Electuary of Bay Berries, an Ounce: *London* Treacle, Half an Ounce. Mix and make a Clyſter.

Obſer-

Obſervations.

The frequent Repetition of this anodyne emollient Clyſter is ſerviceable in appeaſing the painful Teneſmus in this miſerable Diſeaſe.

Pilul. Adſtringentes.

℞ Alum. Rup. ʒiij. liquefiat ſuper Ignem, & adde Sang. Dracon. ʒſs. Tereb. è Chia q. ſ. m. f. Pilul. XL. ſumat quinque bis de Die ſuperbibendo ℔ſs. Tinct. Roſar.

The Reſtringent Pills.

Take Roch Alum, three Drachms; after Melting over the Fire add to it Dragon's Blood, Half a Drachm: Chio Turpentine, a ſufficient Quantity. Mix and make forty Pills. Five to be taken twice a Day, drinking Half a Pint of Tincture of Roſes after them.

Obſervations.

For ſtopping the Hæmorrhage in this Diſeaſe, the Materia Medica hardly furniſhes a more effectual Styptick.

The Fluor Albus.

Pilulæ Balſamicæ.

℞ Gum. Ammoniac. Alumin. Rup. Croc. Mart. adſtring. āā ʒſs. Maſtic. Terr. Japon. āā ʒj. Syr. Balſamic. q. ſ. f. Pilul. mediocr. ſumat quinque bis de Die ſuperbibendo Aq. Briſtol. ℔ſs.

The Balſamick Pills.

Take Gum Ammoniac, Roch Alum, and binding Saffron of Mars, of each Half a Drachm: Maſtic and *Japan* Earth, of each a Drachm: Balſamick Syrup, a ſufficient Quantity. Make moderate-ſized Pills. Five to be taken twice a Day, drinking after them Half a Pint of *Briſtol* Water.

Obſervations.

Theſe are uſeful Reſtringents in this Diſeaſe.

The Iliack Passion.

CASE.

I Viſited a Man who had lain ill three or four Days of the Iliack Paſſion, without any Stools. The Phyſicians who attended him tried the common Methods of ſtrong Purges with Opiates without any Relief. I ordered *Infuſ. Sen.* with *Syr. de Spin. Cerv.* which worked well, and he voided by Stool a large Piece of one of the large Inteſtines, and was afterwards cured by healing Clyſters with *Terebinth. Balſ. Locatell. &c.*

Worms.

Bolus Mercurialis.

℞ Calomel. præp. gr. xiv. Rhabarb. opt. pulv. ℈j. Syr. de Spin. Cerv. q. ſ. f. Bolus ſumendus bis in Septimanâ.

The

The Mercurial Bolus.

Take Calomel prepared, fourteen Grains: The beſt Rhubarb powdered, a Scruple: Syrup of Buckthorn, a ſufficient Quantity. Make a Bolus to be taken twice a Week.

Obſervations.

This is ſerviceable in diſcharging the viſcid Matter adhering to the Inteſtines in this Diſeaſe.

Bolus cum Stanno.

℞ Stanni præp. ℈j. Conſ. Roſ. rubr. q. ſ. m. f. Bolus ſumendus omni Mane ſuperbibendo Cochlear. tria Tincturæ Amaræ.

The Bolus with Tin.

Take Tin prepared, a Scruple: Conſerve of Roſes, a ſufficient Quantity. Mix and make a Bolus to be taken every Morning, drinking after it three Spoonfuls of the *Bitter Tincture*.

Obſervations.

This is a ſpecific Remedy in this Diſeaſe.

Emplaſtrum pro Abdomine.

℞ Empl. Oxycroc. ℥ſs. Ol. Palm. Macis ā ā ʒij. Ol. Abſinth. gutt. x. Aloes Hepatic. ʒj. Emplaſtr. Abdomini applicandum.

The Plaiſter for the Abdomen.

Take Oxycroceum Plaiſter, Half an Ounce: Palm Oil and Oil of Mace, of each two Drachms: Oil of Wormwood, ten Drops: Hepa-

Hepatick Aloes, a Drachm. Mix and make a Plaiſter to be applied to the Belly.

Obſervations.

This warms and ſtrengthens the Abdomen, and is an Antidote to Worms.

The DROPSY.

Boli Cathartici.

2.

℞ Rad. Jalap. pulv. ʒſs. Gutt. Gamb. gr. xv. Salis Tart. ϑj. Ol. Caryoph. gutt. ij. Syr. de Spin. Cerv. q. ſ. m. f. Bolus Mane ſumendus cum Regimine.

2.

℞ Gutt. Gambog. pulv. gr. xiv. Rad. Jalap. pulv. ʒſs. Syr. de Spin. Cerv. q. ſ. f. Bolus ſumend. Mane.

3.

℞ Rad. Jalap. pulv. ʒſs. Calomel. ppt. gr. xiv. Conſ. Flav. Aurant. ʒſs. Syr. Cort. Aurant. q. ſ. m. f. Bolus ſumendus Mane.

The Cathartick Boluſes.

1.

Take Jalap Root powdered, Half a Drachm: Gombage, fifteen Grains: Salt of Tartar, a Scruple: Oil of Cloves, two Drops: Syrup of Buckthorn, a ſufficient Quantity. Mix and make a Bolus to be taken in the Morning with proper Regimen.

2.

Take Gamboge powdered, fourteen Grains: Jalap

Jalap Root powdered, Half a Drachm: Syrup of Buckthorn, a ſufficient Quantity. Mix and make a Bolus.

3.

Take Jalap Root powdered, Half a Drachm: Calomel prepared, fourteen Grains: Conſerve of Orange Peel, Half a Drachm: Syrup of the ſame, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

Theſe are briſk Purges, and proper to carry off the abundant Serum in this Diſeaſe: Due Regard being had to the Strength of the Patient, and the Degree of the Diſeaſe.

Hauſt. Diuretic.

1.

℞ Vin. Scillit. ℥ſs. Salis Abſinth. gr. xv. Aq. Cinnam. ten. ℥j. Theriacal. ℥ſs. m. f. Hauſtus bis de Die ſumend.

2.

℞ Aq. Cinnam. ten. ℥ij. Pæon. comp. ℥j. Oxymel. Scillit. ℥ſs. Laud. Liquid. Syd. gutt. xvj. m. f. Hauſtus ſumendus H. S.

3.

℞ Acet. Scillit. ʒvj. Salis Abſinth. ℈j. Aq. Cinnam. ten. ℥ſs. m. f. Hauſtus ſumendus H. S.

4.

℞ Acet. Scillit. ʒvj. Salis Tart. ℈j. Aq. Cinnam. ten. ℥ſs. Syr. Cort. Aurant. ʒj. m. f. Hauſtus.

The Diuretick Draughts.

1.

Take Wine with Squills, Half an Ounce: Salt of Wormwood, fifteen Grains: Small Cinnamon Water, an Ounce: Treacle Water, Half an Ounce. Mix and make a Draught to be taken twice a Day.

2.

Take Small Cinnamon Water, two Ounces: Compound Piony Water, an Ounce: Oxymel of Squills, Half an Ounce: *Sydenham*'s Liquid Laudanum, ſixteen Drops. Mix and make a Draught to be taken going to Reſt.

3.

Take Vinegar of Squills, ſix Drachms: Salt of Wormwood, a Scruple: Small Cinnamon Water, Half an Ounce. Mix and make a Draught to be taken going to Reſt.

4.

Take Vinegar of Squills, ſix Drachms: Salt of Tartar, a Scruple: Small Cinnamon Water, Half an Ounce: Syrup of Orange Peel, a Drachm. Mix and make a Draught.

Obſervations.

Theſe are proper Diuretics in this Diſeaſe, and powerfully open and deterge the glandular Emunctories of the Body.

Mixtur. Gummoſ.

℞ Gum. Ammoniac. ʒj. affunde Aq. Puleg. ℥viij. f. Mixtura, ſumat Cochl. ij. ſingul. Nocte H. S. cum Tinct. Cantharid. gutt. xxx.

The

The Gum Mixture.

Take Gum Ammoniac, a Drachm; pour on it Pennyroyal Water, eight Ounces. Make a Mixture. Two Spoonfuls to be taken every Night going to Reſt with thirty Drops of *Tincture of Cantharides.*

Obſervations.

This is an excellent deobſtruent Medicine, and ſeldom fails to open the renal and other infarcted Glands in this Diſeaſe, and diſcharge the Cauſe by Urine.

Tinctura Stomach. Hydropica.

℞ Rad. Gallang. Zedoar. Flav. Cort. Aur. Sem. Cardam. min. āā ʒj. infunde frigidè in Aq. Ceraſ. nigr. ℥vij. adde Aq. Pæon. c. Cinnam. fort. āā ℥ij. Salis Abſinth. ʒiij. m. f. Tinctura ſumat Cochl. iv. bis de Die.

The Stomachic Tincture for the Dropſy.

Take Roots of Galangal and Zedoary, Orange Peel, the leſſer Cardamoms, of each a Drachm. Make a cold Infuſion in Black Cherry Water, ſeven Ounces; to which add compound Piony and ſtrong Cinnamon Waters, of each two Ounces: Salt of Wormwood, three Drachms. Make a Tincture. Four Spoonfuls to be taken twice a Day.

Obſervations.

This is a well adapted lixivial Bitter, and promotes the Secretion of Urine.

CASE I.

A Nurſe in the Hoſpital, a Widow, who had never had Children, aged forty-two, had for about a Year complained of Pains in her Back, with Stoppage of Urine, and Voiding of Gravel. Her Belly ſwelled to an *Aſcites*, for which ſhe was tapped three ſeveral Times; the Dropſy always ſoon filling again. The firſt Tapping the Water was cleareſt, afterwards more thick and ropy. She died with the Abdomen very full.

Being opened, we found a great Quantity of Water had been contained between the Tendons of the *Muſculi Tranſverſales Abdominis* and the Peritonæum, which were here and there ſeparated from the Peritonæum, ſo as to make little Cavities; and there were a great many large Hydatides unbroken between theſe Tendons and this Membrane, ſo that there had been manifeſtly (*according to Mr.* Cheſelden's *Obſervation in his Anatomy*) a Dropſy here, which might have been called a Dropſy of the Peritonæum. But, beſides this, when we cut through the Peritonæum, a vaſt Quantity of thick ropy Matter ran out; in all about three or four Quarts, with a great Quantity of glandular Sloughs. When this was emptied, we looked for the Inteſtines, but to our Surpriſe found underneath the other Lamina of the Peritonæum as thick and hard as the former, both being like Leather: Underneath this lay the Stomach and Inteſtines, all with the Omentum crouded up into a ſmall Space, and grown together,

gether, ſo that they could not be ſeparated. Thus the Peritonæum was certainly ſlit in two, and had made a large Bag, which was cloſed on all Sides, and very rough on the Inſides; its Glands being all ſwelled. We had in two Reſpects an Hydrops Peritonæi, i. e. exteſnal and internal. There were no Stones in the Kidnies, nor Bladder. The right Ovary was grown perfectly ſchirrous, and hard throughout, and weighed twelve Ounces.

CASE II.

A Man about forty had for about ſeven or eight Days been troubled with a Swelling in his Belly; his Complexion began to look yellowiſh, and he made but little Water, and that high-coloured. He had been troubled with Vomiting and a Looſeneſs, but had got rid of them. His Diſtemper proceeded from hard Drinking.

℞ *Tinct. Melampod.* ℔ſs. *cap. Cochl.* iij. *alterna Nocte & Mane ſequenti.*

℞ *Aq. Lact. Alex. Cinnam. ten. Peon. comp.* āā ℥iv. *Spec. Diamb. S. O.* ʒij. *Sal. Abſinth.* ʒj. *f. Tinctura.*

The JAUNDICE.

Pilulæ Saponac.

℞ Sapon. Joppæ ʒj. Gum. Ammoniac. ℈ij. Syr. Croc. q. ſ. m. f. Pilul. mediocres ſumat quinque Mane & Sero.

The Soap Pills.

Take *Joppa* Soap, a Drachm: Gum Ammoniac, two Scruples: Syrup of Saffron, a ſufficient Quantity. Make moderate-ſized Pills. Five to be taken Morning and Evening.

Obſervations.

Theſe are uſed to open and deterge the biliary Duct, which they ſeldom fail to effect.

Electarium Saponaceum.

℞ Conſ. Abſinth. Rom. Sapon. Joppæ opt. āā ℥ſs. Salis Abſinth. Tartar. āā ʒj. Ol. Tartar. per Deliq. gr. x. m. f. Electar. ſumat Quantitatem Nucis Moſchatæ bis de Die ſuperbibendo Cochlear. iv. Tincturæ Stomachicæ Amaræ.

The Soap Electuary.

Take Conſerve of *Roman* Wormwood, the beſt *Joppa* Soap, of each Half an Ounce: Salt of Wormwood and Tartar, of each a Drachm: Oil of Tartar *per Deliquium*, ten Grains. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, drinking four Spoonfuls of the *Bitter Stomachick Tincture*.

Obſervations.

For removing Obſtructions in the Liver, and ſtrengthening the Stomach, theſe Medicines are of ſingular Efficacy in this Diſeaſe.

CASE

CASE I.

LORD *F——rs* died of a Jaundice. The Gall Bladder and Porus Biliarius were very much diſtended, and full of a thick *Atra Bilis*. The Liver was ſoft, not obſtructed, but full of the ſame Fluid.

The Diſeaſes of the KIDNIES *and* BLADDER.

Boli Refrigerantes.

1.

℞ Spec. Diatragacanth. frig. Conſ. Cynoſbat. āā ℈j. Sal. Prunel. ℈ſs. Syr. ex Alth. q. ſ. m. f. Bolus bis terve de Die ſumend.

2.

℞ Conſ. Lujul. Spec. Diatrag. frig. āā ʒſs. Sal. Prunel. ℈j. Syr. Balſamic. q. ſ. m. f. Bolus.

The Cooling Boluſes.

1.

Take the cooling Species of Gum Tragacanth, Conſerve of Hips, of each a Scruple: Salt of Prunella, Half a Scruple: Syrup of Marſhmallows, a ſufficient Quantity. Mix and make a Bolus to be taken twice or three Times a Day.

2.

Take Conſerve of Wood Sorrel, cooling Species of Gum Tragacanth, of each Half a Drachm: Salt of Prunella, a Scruple: Balſamick

ſamick Syrup a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

Theſe are cooling Diureticks.

Emulſio Communis.

℞ Amygd. dulc. decort. Nuc. Piſtach. āā ʒſs. contuſ. in Mortar. affunde ſenſim Decoct. Hord. ten. ℔j. Syr. ex Alth. ʒj. m. f. Emulſio.

The Common Emulſion.

Take ſweet Almonds and Piſtaches blanched, of each Half an Ounce; bruiſe them in a Mortar, and pour on gradually a Pint of thin Barley Water: Syrup of Marſhmallows, an Ounce. Mix and make an Emulſion.

Obſervations.

This is a cooling emollient Drink in Inflammations of the Kidnies, Strangury, *&c.*

Enema Anodynum.

℞ Decoct. com. pro Clyſterib. ʒx. Mel. Mercurial. ʒij. Syr. Violar. Tereb. Ven. Vitello Ovi ſolut. āā ʒj. Opii gr. iv. m. f. Enema.

The Anodyne Clyſter.

Take the common Decoction for Clyſters, ten Ounces: Honey of Mercury, two Ounces: Syrup of Violets, and *Venice* Turpentine, diſſolved with the Yolk of an Egg, of each an Ounce: Opium, four Grains. Mix and make a Clyſter.

Obſer-

Obſervations.

This anſwers much the ſame Intentions as the *Enema Terebinthin.* deſcribed in *Part* I, *Page* 70; is anodyne and more diuretick, on Account of the increaſed Quantity of Terebinth.

Hauſtus Diuretic.

℞ Balſ. Copaiv. ʒſs. Syr. ex Alth. ʒſs. Succ. Limon. ʒj. Vin. Rhenan. ʒij. m. f. Hauſtus H. S. & Mane ſumend.

The Diuretick Draught.

Take Balſam of Capivi, Half a Drachm: Syrup of Marſhmallows, Half an Ounce: Juice of Lemon, a Drachm: *Rheniſh* Wine, two Ounces. Mix and make a Draught to be taken Night and Morning.

Obſervations.

This is a warm balſamic Diuretick.

CASE I.

I Was ſent for to an old Woman, who had complained of a violent Pain in one Kidney, and Ureter. Her Pain, when I ſaw her, was much abated; She was ſtill troubled with Retchings, and her Water was very red: She was very weak.

℞ *Sal. Abſinth.* ʒj. *Succ. Limon.* ʒſs. *Aq. Cinnam. ten.* ʒj. *Syr. ex Alth.* ʒſs. *Sp. Sal. vol. ol. gutt.* xxx. *m. f. Hauſt. ſumend. bis de Die.*

This Medicine cauſed her to void a great Quantity

Quantity of Wind, and make a good Quantity of Water.

CASE II.

MR. *Cheſelden* diſſected a Patient he had cut for the Stone in the high Operation. His Body was extreamly emaciated. He found Matter in both his Kidnies, and fifteen Stones, one or two of them pretty large, in one of them; and the Ureter of the ſame Side quite plugged up with a Stone of about an Inch long. The Patient, though hectick before the Operation, continued tolerably well for about a Fortnight, when he found an Opportunity of getting ſome cold Water, of which he ſaid he drank a good Draught, and fell into a Diarrhœa, which carried him off in about a Week.

The Bladder lay about half an Inch from the Peritonæum. Water injected *ad* ℥x. preſſed up the Peritonæum *ad* ℥ij.

CASE III.

MR. *B—ll* was ſeized with a Pain in his Back, great Torture in making Water, which was ſlimy, and full of red and white Sand; Procidentia Ani, Want of Reſt, Sickneſs at Stomach.

℞ *Calomel. opt. ppt. gr.* xv. *Extr. Thebaic. gr.* j. *Conſ. Roſ. rubr. q. ſ. m. f. Pilula ſumend. Hora Decubitus ſuperbibendo craſtino Mane Aq. Ebeſtiam.* ℔iv.

℞ *Balſ. Capiv.* ℥j. *cap. gut.* xxx. *Saccharo inſtillat.*

inſtillat. ſuperbibend. Emulſion. Com. ℔j. *tepidè.*

The Purges were twice repeated, with the *Balſ. Capiv.* and Emulſion. The third Night he reſted tolerably well, and had an Eruption all over his Legs and Thighs, the Pain in making Water, *&c.* diminiſhing.

The Diſeaſes of the EYES.

CASE I.

A Child was brought to me, with the Eyelids of one Eye ſo much ſwelled that I could not open them to ſee how far the Eye was affected. It came after the Small Pox, tho' the Child had been well purged.

℞ *Rad. Rhabarb. pulv. gr.* vj. *Calom. opt. ppt. gr.* iij. *Conf. Alcherm. q. ſ. m. f. Bolus ſumend. tertio vel quarto quoque Die, & Diebus intermediis ſumat. Elect. ſequent.*

℞ *Conſ. Cynoſb.* ʒj. *Æthiop. min.* ʒiij. *Pulv. Purpur. Bat.* ʒj. *Syr. Croc. q. ſ. m. f. Electarium, ſumat. Quantit. N. M. bis de Die.*

Applicet. Empl. Epiſpaſt. Nuchæ.

Fiat Fontenell. in Brachio.

℞ *Aq. Roſar. Dam.* ʒiv. *Lap. Tut. ptt.* ʒij. *Sacch. cand. alb.* ʒj. *in f. Lotio ſæpe intend.*

Pains in the JOINTS.

Electr. Cinnabarin.

℞ Conſ. Flaved. Aurant. ℥j. Gum Guaiac. pulv. ʒij. Cinnab. nativ. ppt. Syr. Cort. Aur. q. ſ. m. f. Electarium, ſumat Quantitatem Nucis Moſchatæ ter de Die.

The Cinnabar Electuary.

Take Conſerve of Orange Peel, an Ounce: Gum Guaicacum powdered, two Drachms: Native Cinnabar prepared, a Drachm: Syrup of Orange Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken three times a Day.

Obſervations.

This is a good Remedy in chronical Rheumatiſms.

Hauſtus Guaiacinus.

℞ Balſ. Polychreſt. ʒſs. Syr. ex Alth. ℥j. Vin. alb. Hiſp. ℥iij. m. f. Hauſt. h. f. ſumend.

The Guaiacum Draught.

Take Balſam Polychreſtum, Half a Drachm: Syrup of Marſhmallows, an Ounce: White Wine, three Ounces. Mix and make a Draught to be taken going to Reſt.

Obſervations.

This is a warm ſolutive Medicine, and proper in this Diſeaſe.

The LEPROSY *and* ITCH.

Unguent. Mercuriale.

℞ Unguent. Alb. Camph. ℥iv. Præcip. Alb. ℥ſs. Fl. Benzoin. ℥ſs. m. f. Unguent.

The Mercurial Ointment.

Take White Ointment, four Ounces: White Precipitate, Half an Ounce: Flowers of *Benjamin*, Half a Drachm. Mix and make an Ointment.

Obſervations.

This will be found effectual, but ſhould be uſed with Caution.

Scrophulous Diſeaſes.

CASE I.

A Man in St. *Thomas*'s Hoſpital, about thirty Years old, had a ſcrophulous Swelling in the external Muſcles of the Neck, and the Palſy on one Side; loſt the Uſe of the other Side. In about a Week died. Not emaciated. His Head not affected.

CASE II.

I Was ſent for to a Child of about four Months old, who had a Breaking out almoſt from the Time of his Birth. His Face was covered with a hard brown Scab, and the Humor very much upon his Eyes.

℞ *Pulv. è Chel. C. C.* ℈ss. *Marg. ppt. gr.* v. *m. f. Pulv. ſumend. bis de Die.*

℞ *Pulv. Rhabarb. gr.* viij. *ſumat tertio quoque Die.*

Applicetur Emp. Epiſpaſt. Nuchæ.

The Child had Catchings upon him a Day or two after,

℞ *Pulv. è Chel. C. C.* ℈ss. *ad Guttet. gr.* v. *m. f. Pulv.*

He reſted pretty well, and was better the next Day; but had griping Stools; I ordered him therefore to take the Rhubarb. He continued well for ſome Time, and cut a Tooth or two, and the Humor went pretty well off; but breeding ſeveral together (as generally happens to ſcrophulous Children) he was out of order again. When I was ſent for, I found his Gums ſwelled and inflamed. He had had a Vomiting upon him for ſome Days, and could keep nothing in his Stomach. He was much fallen away in his Fleſh, was coſtive, his Urine high-coloured. He had not had any Convulſion, and his Ears and Iſſue ran well.

℞ *Syr. Fl. Perſicor.* ℥ss. *ſumat ſtatim, et, finita Vomitione, ſumat Cochl.* j. *Mixturæ ſequentis.*

℞ *Aq. Ceraſ. nigr.* ℥vi. *Cinnam. ten. Pæon. comp.* āā ℥j. *Marg. ppt. Conf. Fracaſt. ſ. m.* āā ʒj. *f. Mixtura, ſumat Cochl.* j. *urgente Vomitione.*

℞ *Rad. Rhabarb. p.* ℥ss. *ſumat. gr.* x. *craſtino Mane.*

He

He was ſomething better after his Vomit and Purges; but his Vomiting returned the next Night.

℞ *Rhab. pulv.* ʒſs. *divid. in Ch.* iij. *ſumat* j. *Mane.*

℞ *Pulv. è Chel. C. C. gr.* xij. *Sal. Abſinth. gr.* iij. *m. f. Pulv. ſum. ſexta quaque Hora ſuperbibendo Julepi ſeq. Cochl.* j.

℞ *Aq. Lact. Al. Ceraſ. n.* āā ℥iv. *Cinnam. ten. Pæon. comp.* āā ℥j. *Marg. ppt.* ʒſs. *m. f. Julep.*

℞ *Aq. Ceraſ. nigr.* ℥iv. *Cinn. ten. Fort.* āā ℥j. *Conf. Fracaſt. ſ. m.* ʒj. *f. Mixtura, cujus capiat. Cochl.* j. *urgente Vomitione.*

Applicetur Abdomini Empl. ex Oxycroc.

I had Word brought me the next Day, that the Child continued very ill, but that his Vomitings were ſomewhat abated, and that he doſed pretty much, but that he was ſo weak, that they expected his Death every Minute; that he had no Convulſion, nor much Burning, his Ears and Iſſue running well. I was ſtill in Hopes of his Recovery. In a Day or two he began to mend, and in about a Week they brought me Word he was quite well. I ordered him, however, to continue the Powders for a Week or ten Days longer.

The SCURVY.

Its Symptoms.

FRequent Spittings, Want of Appetite, Indigeſtion, frequent Pains in the Head, waſting of Fleſh, faint Sweats, Swelling of the Legs, Urine high-coloured, and in ſmall Quantity, are the moſt undoubted Symptoms of the Scurvy, which, in one Shape or other, Seafaring Perſons are moſt liable to at Sea, and during their Stay abroad, from the Intemperance of the Climates through which they travel, bad Diet, and other Inconveniences they are ſubject to. The chief Diſtempers to be feared in *India* are *the Bloody Flux, violent Fevers, the Uſe of the Limbs taken away*, which latter is generally occaſioned by lying in the Dews; *Inflammation of the Liver, Scurvy*, &c.

Apozemata Balſamic.

1.

℞ Cort. Guaiac. cum Lign. ℥ij. Lign. Saſſafr. Rad. Sarſaparill. Liquirit. Uvar. paſſ. āā ℥j. Salis Tart. ʒj. coque in ſ. q. Aq. Font. ad ℔iv. ſub Finem Coctionis adde Gum. Styrac. Benzoin. āā ʒj. Coccinel. gſs. colatur: Adde Syr. Moror. ℥ij. m. f. Apozema, cujus capiat bis de Die ℔ſs. cum pari Quantitate Lactis Vaccin.

2.

℞ Rad. Oxylapath. Lign. Guaiac. cum Cortice āā ℥j. Saſſafr. ℥ſs. Sal Tartar. ʒj. inſunde frigidè in Aq. Calc. ℔ij. adde Rad. Ering. condit. ℥iſs. Colaturæ capiat ℔ſs. bis

de

de Die cum pari Quantitate Lactis Vaccin. tepidè.

Bibat Aquæ Briſtol. cum Vino pro Potu communi.

3.

℞ Rad. Oxylapath. ℥ij. Lign. Guaiac. cum Cort. ℥j. Rad. Sarſaparill. Liquirit. ää ℥ſs. Sal. Tart. ʒj. coq. in Aq. Fontan. q. ſ. ad ℔iv. ſub Finem Coctionis adde Balſ. Tolu ʒj. Coccinel. ℈j. Aq. Benedict. ℔ſs. m. f. Apozema.

4.

℞ Lign. Guaiaic. Cort. ejuſdem ää ℥j. Rad. Oxylapath. ℥ij. Sarſaparill. Liquirit. ää ℥ſs. coque in ſ. q. Aquæ Fontan. ad ℔iv. ſolve Calcis purioris ℔ſs. adde Aq. Benedict. ℔ſs. m. f. Apozema.

5.

℞ Santal. Rubr. Lign. Guaiac. Cort. ejuſdem, Rad. Chin. Sarſaparill. Liquirit. Uvar. paſſ. ää ℥ij. Sal. Tartar. ʒij. coque in ſ. q. Aquæ Fontan. ad ℔iv. ſub Finem Coctionis adde Balſ. Tolu ʒij. frigidè adde Calc. viv. ℥ſs. f. colatur: Adde Syr. Rub. Id. ℥ij. f. Apozema, cujus capiat ℔ſs. bis de Die cum pari Quantitate Lact. Vaccin.

The Balſamick Apozems.

1.

Take Bark of Guaiacum with the Wood, two Ounces: Saſſafras Wood, Roots of Sarſaparil, Liquoriſh, and Raiſins of the Sun, of each an Ounce: Salt of Tartar, a Drachm. Boil them in a ſufficient Quantity of Water,

to

to two Quarts. Towards the End of the Boiling add Gum Storax and Benjamin, of each a Drachm: Cochineal, Half a Drachm. To the ſtrained Liquor add Syrup of Mulberries, two Ounces. Mix and make an Apozem. Half a Pint to be taken twice a Day, mixed with an equal Quantity of Cow's Milk.

2.

Take ſharp-pointed Dock Roots, Guaiacum Wood and Bark, of each an Ounce: Saſſafras Wood, Half an Ounce: Salt of Tartar, a Drachm. Infuſe them cold in Lime Water a Quart; add candied Eringo Root, an Ounce and half. Half a Pint of the ſtrained Liquor to be drank twice a Day warm, mixed with an equal Quantity of Cow's Milk.

Briſtol Water, mixed with Wine, to be uſed for common Drink.

3.

Take ſharp-pointed Dock Roots, two Ounces: Wood of Guaiacum, with the Bark of the ſame, an Ounce: Roots of Sarſaparil and Liquoriſh, of each Half an Ounce: Salt of Tartar, a Drachm. Boil them in a ſufficient Quantity of Spring Water, to two Quarts. Towards the End of the Boiling add Balſam of Tolu, a Drachm: Cochineal, a Scruple: Aqua Benedicta, Half a Pint. Mix and make an Apozem.

4.

Take Wood and Bark of Guaiacum, of each an Ounce: Sharp-pointed Dock Root, two Ounces: Roots of Sarſaparil and Liquo-

riſh, of each Half an Ounce. Boil them in a ſufficient Quantity of Spring Water, to two Quarts. Diſſolve in it fine Quicklime, Half a Pound; then add Aqua Benedicta, Half a Pint, and make an Apozem.

5.

Take Red Sanders, Wood and Bark of Guaiacum, Roots of China, Sarſaparil, Liquoriſh, and Raiſins of the Sun, of each two Ounces; Salt of Tartar, two Drachms. Boil them in a ſufficient Quantity of Spring Water, to two Quarts. Towards the End of the Boiling add Balſam of Tolu, two Drachms; and, when cold, Quicklime, an Ounce and half. To the ſtrained Liquor add Syrup of Raſpberries, two Ounces. Make an Apozem. Half a Pint to be taken twice a Day, with the ſame Quantity of Cow's Milk.

Obſervations.

Theſe are proper Diet Drinks in all ſcorbutic Taints, and the *Phthiſis Scorbutica.*

Bolus Catharticus.

℞ Pulv. Jalap. ʒſs. Calomel ppt. gr. xij. Syr. Caryoph. q. ſ. m. f. Bolus tertio quoque Die ſumend.

The Cathartick Bolus.

Take Powder of Jalap, Half a Drachm: Calomel prepared, twelve Grains: Syrup of Gillyflowers a ſufficient Quantity. Mix and make a Bolus, to be taken every third Day.

Obſervations.

This is a proper Cathartic for foul ſcorbutic Eruptions.

Elixir Stomachic.

℞ Elixir Proprietat. Helmont. ℥ij. ſumat ʒij. vel Cochl. j. minimum ſingul. vel alternis Auroris in Hauſtulo Vini albi ſuperdormiendo.

The Stomachick Elixir.

Take *Helmont*'s Elixir Proprietatis, two Ounces. Two Drachms, or a Tea Spoonful, to be taken every other Morning in a Draught of White Wine, ſleeping after it.

Obſervations.

This is a good Stomachick Elixir to reſtore Digeſtion, *&c.*

Hauſtus acidus.

℞ Aq. Ceraſor. nigr. ℥ij. Theriacal. ℥ſs. Gaſ. Sulph. ʒj. Syr. Cydon. ʒij. m. f. Hauſt. ſexta quaque Hora ſumend.

The acid Draught.

Take Black Cherry Water, two Ounces: Treacle Water, Half an Ounce: Gas of Sulphur, a Drachm: Syrup of Quinces, two Drachms. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is uſed for the ſame Purpoſe as the *Gutt. Sulph.*

Guttulæ

Guttulæ Sulphurat.

℞ Gaſ. Sulph. ℥j. ſum. ʒij. vel Cochl. minimum ſingula Nocte h. ſ. in Hauſtulo Theæ virid.

The Sulphur Drops.

Take Gas of Sulphur, an Ounce: Two Drachms, or a Tea Spoonful, to be taken every Night, going to Reſt, in a Draught of Green Tea.

Obſervations.

Theſe are uſed in ſcorbutick Diſorders, proceeding from an alcaline Acrimony in the Fluids.

The Suppreſſion of the MENSTRUAL DISCHARGES.

CASE.

MRS. *C—s* was troubled with Obſtructions, with great Pains in her Bones, Back, Loins, *&c.*

Mittatur Sanguis è Pede ad ℥xvi.

℞ *Tinct. Sacr.* ℥viij. *Tinct. Mart.* ʒiij. *f. Mixtura cujus capiat Cochl.* iij. *ſingula Nocte.*

The Exceſs of the MENSTRUAL DISCHARGES.

Pulvis Balſamicus.

℞ Spec. Diatrag. frig. Coral. Rubr. ppt. Sacch. cand. āā ℈j. m. f. Pulv. ſumend. ſingulis Auroris è Cochl. j. Aq. Briſtol. ſuperbibend. ejuſdem ℔ſs.

The Balſamic Powder.

Take The cooling Species of Gum Tragacanth, Red Coral, and Sugar Candy, of each a Scruple. Mix and make a Powder to be taken every Morning in a Spoonful of *Briſtol* Water, drinking Half a Pint after it.

Hauſt. Anodyn.

℞ Aq. Ceraſ. Nigr. ℥iſs. Pæon. c. ℥ſs. Syr. de Mecon. ℥vj. Coral. Rubr. ppt. ℈j. m. f. Hauſt. ſumend. ſingula Nocte h. ſ.

The Anodyne Draught.

Take Black Cherry Water, an Ounce and an Half: Compound Piony Water, Half an Ounce: Diacodium, ſix Drachms: Red Coral prepared, a Scruple. Mix and make a Draught to be taken every Night going to Reſt.

Julep. Reſtring.

℞ Tinct. Roſ. ℔iſs. Aq. Cinnam. ten. ℥vj. Epidem. ℥ij. Sp. Nitr. D. gutt. LX. Syr. Cydon. ℥ij. m. f. Julep. ſumat Cochl. v. bis vel ter de Die urgente Siti, vel Languoribus.

The Reſtringent Julep.

Take Tincture of Roſes, a Pint and an Half: Small Cinnamon Water, ſix Ounces: Plague Water, two Ounces: Sweet Spirit of Nitre, ſixty Drops: Syrup of Quinces, two Ounces. Mix and make a Julep. Five Spoonfuls to be taken twice or thrice a Day, when thirſty, or faint.

Bibat Aquæ Briſtol. cum Vin. Florentin. pro Potu communi, & tertiis Auroris capiat Apoz. ex Aqua Purg. cum Mann.

Briſtol Water mixed with *Florence* Wine to be uſed for common Drink; and an Apozem of Purging Water and Manna to be taken every third Morning.

Obſervations.

Theſe are proper to correct the Acrimony of the Blood and Juices, ſtrengthen the Fibres, and carry off the offending Colluvies.

The Fluor Albus.

Pilulæ Balſamicæ.

℞ Spec. Diatrag. frigid. Gum. Maſtic. pulv. Terr. Japon. pulv. Sang. Drac. p. āā Part. æquales, m. cum Mucil. G. Trag. f. Pilulæ mediocres quarum capiat quinque ter quaterve de Die ſuperbibendo Cochl. quinque Tincturæ reſtringent.

The

The Balſamick Pills.

Take The cooling Species of Gum Tragacanth, Gum Maſtich, Japan Earth, and Dragon's Blood powdered, of each an equal Quantity, with Mucilage of Gum Tragacanth, make Pills of a moderate Size, five to be taken three or four Times a Day, drinking after them five Spoonfuls of the reſtringent Tincture.

Obſervations.

Theſe anſwer the Intention expreſſed by their Title.

Tinctura Reſtringens.

℞ Tinct. Roſar. Rubr. ℥vi. Aq. Cinnamon. fort. ℥ij. Syr. de Papav. errat. ℥j. Sp. Sulph. per Camp. gutt. vj. m. f. Tinct.

The Reſtringent Tincture.

Take Tincture of Roſes, ſix Ounces: Strong Cinnamon Water, two Ounces: Syrup of wild Poppies, an Ounce: Spirit of Sulphur by the Bell, ſix Drops. Mix and make a Tincture.

Obſervations.

This is a pleaſant reſtringent Tincture to take after Pills, *&c.*

CASE.

CASE.

Feb. 24. I Viſited a Woman who had contracted an Illneſs from a Lying-in. She had been delivered about ſix Weeks, ever ſince which Time ſhe had a Fever with great Inquietude. Her Pulſe was quick, and her Tongue a little rough, Water very high-coloured. She reſted little, complained of violent Pains in her Bowels and Back, and of great Uneaſineſs upon making Water, or going to Stool. I ſuſpected theſe laſt Symptoms to proceed from ſome Miſchief in the Womb. She had been purged by a Quack in *Moorfields*: But, as her Cholick ſtill continued with ſome Violence, I ordered:

℞ *Tinct. Rhæi cum Vin.* ℥iij. *L. L. Syd. gutt.* xij. *m. f. Hauſt. H. S. ſumend.*

She vomited up the Medicine, but reſted tolerably that Night. I ordered her to be examined, *& on decouvroit du Coulement blanc, & ſans Odeur.*

℞ *Conſ. Cynoſb.* ℥j. *Sperm. Cæti* ʒiij. *Pulv. è Chel. C. C. Gum. Arabic.* āā ʒij. *Syr. Caryoph. q. ſ. m. f. Electr. cujus capiat Quant. Nuc. Caſtan. ſextâ quâque Horâ ſuperbibendo Aq. Briſtol. tepefact.* ℔ſs. *qua utatur cum Vino pro Potu com.*

℞ *Ol. Amygd. d. Syr. ex Alth.* āā ℥ſs. *Syr. de Mecon.* ʒij. *Laud. Liq. gutt.* xij. *m. f. Hauſt. capiat ſingula Nocte Hora Somni.*

℞ *Rad.*

℞ *Rad. Alth. Sem. Lini, Gum. Maſtich.* āā ʒij. *coque in Aq. Font.* ℔j. *ad Syrupi tenuioris Conſiſtentiam, & f. Injectio quâ utatur ſingula Nocte Hora Decubitus.*

The next Time I ſaw her, I found her ſomewhat eaſier. Her greateſt Uneaſineſs was a fixed Pain in her Belly, which exceedingly tormented her when ſhe went to Stool; and they obſerved in her Excrements a white Subſtance of the Conſiſtence of a Jelly, not at all diſcoloured, nor ſtinking. She had an hectical Pulſe: Maraſmus; but no Rigors nor Fluſhings upon Eating, and her Appetite was tolerably good. She had a fixed Pain in her Back, which ſhot down to her Groin, and was ſometimes attended with Vomitings. I ordered her to repeat the *Tinct. Rhæi cum L. L.*

February 27. She reſted very well, her Pulſe was leſs quick, and her Tongue not ſo white as the Day before. She had had one Stool without the white Subſtance, and with leſs Pain than ſhe had felt for ſome Time before; and had made a Quantity of Water, but very high-coloured. The moſt exact Account I could learn of her Caſe was, that her Pain began on her left Side, about the Region of the Colon, and ſhot down to her Fundament, which ſhe obſerved to be more or leſs violent in Proportion to the Quantity of the Jelly. I began now to ſuſpect this Subſtance to be the Slime of the Guts: For they told me ſhe was not troubled with theſe Pains till ſhe had been violently purged by a Quack.

Repe-

Repetatur hac Nocte Hauſt. cum Tinct. Rhæi.

Injiciatur ſtatim Enema cum Juſcul. Vervecin. & Theriac.

℞ *Aq. Ceraſ. nigr. Cinnam. Hord.* āā ℥iv. *Pæon. comp. Cinnam. fort.* āā ℥ij. *Conſ. Fracaſt. ſ. m.* ʒij. *f. Mixtura, capiat Cochl.* ij. *urgentibus Torminibus.*

Her Medicines agreed ſo well with her, that for ſome Days there had not appeared any Thing unnatural in her Stools, and ſhe thought herſelf well enough to return Home into the Country. I ordered her to take with her ſome *Tinct. Rhæi ſumend. tertiis Auroris, L. L. gutt.* xvj. *ſingula Nocte Enema cum Theriac. & Terebinth. ſæpius repetend. Infuſ. amar. bis de Die, Balſ. Locatell. & Lact. Aſin.*

I was ſent for after three or four Months to this Woman again, and found her in exceſſive Torment from an hyſterick Vomiting and Cholick. I ordered her to waſh her Stomach well by taking repeated Draughts of thin Water Gruel, and to take an Opiate Clyſter. *Tinct. Rhæi cum L. L.* which ſhe repeated every Morning without the *L. L.* and likewiſe to take the Gum Pills with *Pil. de Styrace* at Night.

The HYSTERICAL *Diſeaſe.*

Bol. Cæphalic.

℞ Pulv. ad Guttetam. ʒſs. Rad. Valer. Sylv. pulv. gr. xij. Caſtor. Ruſſ. gr. iv. Syr. Caryoph. q. ſ. m. f. Bolus ſumend. bis de Die ſuperbibendo ℔ſs. Aq. Spadan.

The Cephalick Bolus.

Take Powder againſt an Epilepſy, Half a Drachm: Wild Valerian powdered, twelve Grains: *Ruſſia* Caſtor powdered, four Grains: Syrup of Gilly-flowers, a ſufficient Quantity. Mix and make a Bolus to be taken twice a Day, drinking after it Half a Pint of *Spaw* Water.

Obſervations.

This is a good cephalic nervous Medicine.

Hauſt. Cephalic.

1.

℞ Aq. Ceraſ. nigr. ℥ij. Bryon. comp. ʒſs. Rad. Valer. Sylv. pulv. gr. xv. Sp. Menth. ʒij. Tinct. Caſtor. ʒſs. m. f. Hauſt. ſumend. bis de Die.

2.

℞ Aq. Ceraſ. nigr. ℥ij. Bryon. comp. ℥j. Troch. de Myrrh. ℈ſs. Tinct. Caſtor. ʒſs. Syr. Pæon. comp. ʒij. m. f. Hauſt. bis de Die ſumendus.

The

The Cephalick Draughts.

1.

Take Black Cherry Water, two Ounces: Compound Briony Water, Half an Ounce: Wild Valerian powdered, fifteen Grains: Spirit of Mint, two Drachms: Tincture of Caſtor, Half a Drachm. Mix and make a Draught to be taken twice a Day.

2.

Take Black Cherry Water, two Ounces: Compound Briony Water, one Ounce: Troches of Myrrh, Half a Scruple: Tincture of Caſtor, Half a Drachm: Compound Syrup of Pionies, two Drachms. Mix and make a Draught to be taken twice a Day.

Obſervations.

Theſe are uſeful in all Obſtructions of the Nerves, hyſterical Diſorders, *&c.*

Hauſtus Solutivus.

℞ Tinct. Sacr. ℥ijſs. Sp. Lav. c. ʒſs. m. f. Hauſt. ſumend. primo Mane ſuperdormiendo, & repetatur pro Re natâ ad tres Vices.

The Solutive Draught.

Take Tincture of Hiera Picra, two Ounces and an Half; Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early, ſleeping after it. To be repeated three Times, when Occaſion requires.

Obſervations.

This is a warm Cathartic, ſtrengthens the Stomach, and is proper in this Diſeaſe to keep the Body ſoluble.

Julep. Camphorat.

1.

℞ Aq. Ceraſ. nigr. ℥iv. Puleg. Bryon. c. āā ℥ij. Camphor. Vitello Ovi ſolut. ℈j. m. f. Julepum ſumat Cochl. iij. in Languoribus.

2.

℞ Camph. ℈j. Sal. C. C. vol. ℈ſs. m. optime & ſuperaffunde Aq. Ceraſ. nigr. Rutæ, Bryon. comp. āā ℥iv. Syr. Pæon. c. ℥j. m. f. Julepum.

The Camphorated Juleps.

1.

Take Black Cherry Water, four Ounces: Pennyroyal and compound Briony Water, of each two Ounces: Camphor, diſſolved with Yolk of Egg, a Scruple. Make a Julep. Three Spoonfuls to be taken when faint.

2.

Take Camphor, a Scruple: Volatile Salt of Hartſhorn, Half a Scruple. Mix them well together; then pour on Black Cherry, Rue, and compound Briony Waters, of each four Ounces: Compound Syrup of Pionies, an Ounce. Mix and make a Julep.

Obſervations.

In hyſterical Diſorders attended with great Dejection of Spirits: In putrid Fevers, and

melancholy Madneſs, Experience hath often confirmed their Uſefulneſs.

Mixturæ Hyſtericæ.

1.

℞ Aq. Lact. Alex. Ceraſ. nigr. āā ℥ij. Rutæ, Bryon. comp. āā ℥j. Troch. de Myrrh. ʒij. Camphor. gr. xv. Nodulo ligatæ. f. Mixtura, ſumat Cochl. j. ter Die.

2.

℞ Gum. Ammon. ʒj. Galban. Sal. C. C. vol. āā ℈j. Aq. Ceraſ. nigr. ℥viij. m. f. Mixtura, ſum. Cochl. ij. in Languore.

The Hyſterick Mixtures.

1.

Take Alexiterial Milk and Black Cherry Waters, of each two Ounces: Rue and compound Briony Waters, of each an Ounce: Troches of Myrrh, two Drachms: Camphor, fifteen Grains, tied in a Bag. Make a Mixture. A Spoonful to be taken three Times a Day.

2.

Take Gum Ammoniac, a Drachm: Galbanum and Volatile Salt of Hartſhorn, of each a Scruple: Black Cherry Water, eight Ounces. Make a Mixture. Two Spoonfuls to be taken when faint.

Obſervations.

Theſe are uſeful in moſt nervous Diſorders, as well as hyſterical Complaints.

CASE

CASE I.

A——S——, a Woman about thirty, often troubled with hyſterical Diſorders, was ſeized with profuſe Spitting, which continued a great While, and weakened her much. I ordered her a warm Tincture with *Species Diambr.* and *Vin. Chalyb.* and the Gum Pills with about one Grain of Opium every Night. Whether it was from theſe Medicines, or any Benefit ſhe received from the Spitting, ſhe found herſelf better than ſhe had been ſeveral Years. She came to me again about four Months afterwards with the ſame Complaints, and found Relief by the ſame Method.

CASE II.

MARY W—rs, a poor Woman, that was ſuppoſed for many Years to be diſtempered with a *Cancer Uteri*, catching Cold upon hard Working, was ſeized with a prodigious Spitting *, and Sickneſs at her Stomach. I ordered her *Ippecac. gr.* xxv. which relieved her for the Preſent, but her Spitting returned as violent as ever the next Day. She was afterwards cured by taking two Spoonfuls of *Tinct. Sacr. Aq. Pæon. comp. &c.* every

* SYDENHAM, in the Cure of hyſterical Caſes, takes Notice that the Patient often vomits green Phlegm, and, though by the Uſe of Emetics they throw it up in large Quantities, yet the Symptom returns in a Day or two. I take it to proceed from a Relaxation of the Glands of the Stomach, and perhaps *Tinct. Martis*, as it is a Reſtringent, may have a particular good Effect.

Morn-

Morning. *Tinct. Caſtor. Ruff. & Mart. in Languoribus.* Opiates at Night, and a Bliſter from which ſhe found ſome, though no great Relief.

She was ſome Time ſince ſeized again with a violent Spitting, and found Benefit by taking the Bark †. Her greateſt Relief was always from *Tinct. Hier.* which agreed very well with her when ſhe could keep nothing elſe upon her Stomach, not even *Sal. Abſinth. cum Succ. Limon.* She continued to take *Tinct. Hier. P. Cochl.* j. *ſingulo Mane*, and is tolerably well: But, upon the Intermiſſion of the Medicine, falls into the Cholick. Her Complaint in her Womb continued ſtill painful to her with a green Diſcharge.

She had been in St. *Bartholomew*'s Hoſpital, and was there told it was a Cancer. Being ſent for one Day to her, and finding her complain of great Heat of Urine, with a red Sediment, and a Pain in one Side of her Belly, near the Paſſage of the Ureter, I ordered her to purge with *Mann.* ℥jſs. and to take the *Pil. Saponac.* which removed all her Complaints, ſo that ſhe has not had any Return of them ſince.

CASE III.

MRS. *G—rd*, whom I had lately attended in a Fever, complained to me of great Dizzineſs in her Head, Fainting, Loſs of Ap-

† I tried the Bark afterwards in theſe Spittings without any Relief.

petite,

petite, Palpitation of the Heart, Riſing in her Throat, Coſtiveneſs; ſlept very little: Tongue dry: Pulſe low: Head diſordered: Water pale.

℞ *Tinct. Hier.* ℥x. *capiat Cochl.* j. *ſingulis Auroris.*

℞ *Sal. Vol. Oleoſ.* ℥j. *capiat gutt.* xiv. *ſemel vel bis in Die in Languoribus.*

℞ *G. Galban. Sagapen. Aſſafœtid. Caſtor. Ruſſ. Pil. de Styrac.* āā *gr.* v. *m. f. Pilul. ſumend. ſingula Nocte H. S.*

She came more to her Senſes, and her Pulſe grew ſtronger, but her other Symptoms ſtill continued. The Pills gave her little or no Reſt.

℞ *Infuſ. Amar.* ℥viij. *Vin. Chalyb.* ℥ij. *f. Mixtura cujus capiat Cochl.* iv. *bis de Die Horis Medicinalibus.*

℞ *Sp. Sal. Vol. Ol. Tinct. Caſtor.* āā ℥ſs. *m. ſumat gutt.* xvj. *in Languoribus.*

℞ *Gum. Galban. Aſſafœt. Myrr. Caſtor. Ruſſ.* āā *gr.* vj. *Pil. de Styrac. gr.* viij. *m. f. Pilul. ſumat ſingula Nocte.*

℞ *Pil. Ruffi* ℥ſs. *ſumat alternis Auroris ſi Alveus non reſponderit.*

Applicetur Capiti Empl. Epiſpaſt. perpetuum.

I adviſed her to go into the Country, ride, and live on a light Diet. If this Method ſhould fail, I adviſed the cold Bath.

GAN-

GANGRENE *in the* UTERUS.

Injectiones Mundificantes.

1.

℞ Aq. Plantag. ℥iv. Benedict. ℥ij. Mel. Ægyptiac. ʒij. Sacch. Saturn. ʒj. m. f. Injectio.

2.

℞ Aq. Camph. Batean, ℔j. Mel. Ægypt. ʒiij. m. f. Injectio.

The Cleanſing Injections.

1.

Take Plantain Water, four Ounces: Bleſſed Water, two Ounces: Honey *Ægyptian*, two Drachms: Sugar of Lead, a Drachm. Mix and make an Injection.

2.

Take Camphorated Water *Bates*'s, a Pint: Honey *Ægyptian*, three Drachms. Mix and make an Injection.

Obſervations.

Theſe are detergent topical Applications neceſſary to be uſed in this Diſeaſe.

CONTUSIONS.

Emplaſtrum Roborans.

℞ Empl. Oxycroc. ℥ſs. Ol. Palm. Macis āā ʒij. m. f. Emplaſtr. Parti affectæ applicandum.

The Strengthening Plaiſter.

Take Oxycroceum Plaiſter, Half an Ounce: Oils of Palm and Mace, of each two Drachms. Mix and make a Plaiſter, to be applied to the Part affected.

Obſervations.

This is an excellent warm ſtrengthening Plaiſter.

F I N I S.

INDEX Pharmacopœiæ.

A. Pag.

Apozem. Balſamic. 86, 87
—— Pectorale 19
———— Reſtringens 65

B.

Bol. Alexipharmici — 1
—— Balſamicus — 19
—— Cathartic, 49, 70, 89
—— Cephalic. — 2, 98
—— Mercurialis — 68
—— Refrigerantes 42, 77
—— Rhabarbarin. 65
—— Specificus —— 66
—— cum Stanno — 69

E.

Elect. Cinnabarin. — 82
—— Nitroſum — 32
—— Pectoralia — 46
Peruv. Balſ. — 33
—— Reſtring. — ibid.
—— Saponaceum — 76
—— Stomachica — 49
Elixir Stomachic. — 90
Empl. pro Abdomine 69
—— Roborans — 105
Emulſio Com. —— 78
Enemat. Anodyn. 66, 78

G.

Gargariſm. Diſcutientia 42
Gutt. Sulphurat. — 91

H.

Hauſt. Acidus —— 90
—— Anodyn. — 50, 92
—— Antiſebrificus — 26
—— Balſamicus — 44
—— Cephalic. — 98
—— Cathartic. — 3, 51
———— Anodyn. 51

Pag.

—— Diuretic. — 71, 79
—— Emetic. — 44
—— Guaiacin. — 82
—— Nitroſus — 41
—— Oleoſ. — 20, 47
—— Salinus — 34
—— Scilliticus — 45
—— Solutiv. — 52, 99
—— Spermaticus — 20
—— Specifici — 62

I.

Injectiones Mundific. 105
———— Reſtring. 40
Julep. Camphorat. 100
—— Cordiale — 4
—— Reſtring. — 92

M.

Mixtura Balſamica — 21
———— Cathartica 52
———— Gummoſ. — 72
———— Hyſteric. — 101
Mucilago — — 43

P.

Pilul. Adſtringentes 67
—— Balſamic. 48, 67, 93
—— Saponac, — 75
Pulv. Balſamic. — 92
—— Bezoardicus — 4
—— Cephalicus ibid.

T.

Tinct. Peruv. Amar. 53
—— Reſtring. — 94
—— Stomachica — 54
———— Hydropica 73

U.

Ung. Mercuriale] — 83

INDEX

INDEX *to the* Pharmacopœia.

A.

Page

Apozem Balſamic 87
—— Pectoral 19
—— Reſtringent 65

B.

Boluſes Alexipharmic 2
—— Balſamic —— 19
—— Cathartic 49, 70, 89
—— Cephalic — 2, 98
—— Cooling — 42, 77
—— Mercurial — 69
—— Rhubarb — 65
—— Specific — 66
—— with Tin — 69

C.

Clyſter Anodyne 66, 78

D.

Draught Acid — 90
—— Anodyne 50, 92
—— Antifebric — 26
—— Balſamic — 44
—— Cathartic 3, 51
—— —— Anodyne 51
—— Cephalic — 99
—— Diuretic 72, 79
—— Emetic — 44
—— Guaiacum — 82
—— Nitrous — 41
—— Oily — 20, 47
—— Saline — 34
—— Solutive 52, 99
—— Spermatic 20
—— Specific — 63
—— Squill — 45
Drops of Sulphur — 91

E.

Electuary Cinnabar 82
—— Nitrous — 32

Page

Electuary Pectoral — 46
—— Peruvian Balſamic 33
—— Reſtringent 34
—— Soap — 76
—— Stomachic — 50
Elixir Stomachic — 90
Emulſion Common 78

G.

Gargles Diſcutient — 43

I.

Injections Cleanſing 105
—— Reſtringent — 40
Juleps Camphorated 100
—— Cordial — 4
—— Reſtringent — 93

M.

Mixture Balſamic — 21
—— Cathartic — 52
—— Gum — 73
—— Hyſteric — 101
Mucilage — — 43

O.

Ointment Mercurial 83

P.

Pills Reſtringent — 67
—— Balſamic 48, 68, 94
—— Soap —— 76
Plaiſter for the Abdomen 69
—— Strengthening 106
Powder Balſamic — 92
—— Bezoardic — 4
—— Cephalic — 5

T.

Tincture Peruvian Bitter 53
—— Reſtringent 94
—— Stomachic — 54
—— for the Dropſy 73